

CRPL-F60

National Bureau of Standards
Library of Congress


SEP 7 1949

Please do not take
this book out of the Library.

IONOSPHERIC DATA

ISSUED
AUGUST 1949

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
WASHINGTON, D. C.



CRPL and IRPL Reports

[A list of CRPL Section Reports is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance warnings, every half hour from broadcast station WWV of the National Bureau of Standards.
Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Weekly:

CRPL-J. Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL-Ja. Semimonthly Frequency Revision Factors for CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL-D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Navy, DNC-13-1 (), monthly supplements to DNC-13-1.)

CRPL-F. Ionospheric Data.

Quarterly:

*IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

*IRPL-H. Frequency Guide for Operating Personnel.

Circulars of the National Bureau of Standards:

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

Reports issued in past:

IRPL-C61. Report of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-G1 through G12. Correlation of D. F. Errors With Ionospheric Conditions.

IRPL-R. Nonscheduled reports:

R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.

R5. Criteria for Ionospheric Storminess.

R6. Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R7. Second Report on Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.

R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.

R11. A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.

R12. Short Time Variations in Ionospheric Characteristics.

R14. A Graphical Method for Calculating Ground Reflection Coefficients.

R15. Predicted Limits for F2-layer Radio Transmission Throughout the Solar Cycle.

R17. Japanese Ionospheric Data—1943.

R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures—October 1943 Through May 1945.

R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)

R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.

R24. Relations Between Band Width, Pulse Shape and Usefulness of Pulses in the Loran System.

R25. The Prediction of Solar Activity as a Basis for the Prediction of Radio Propagation Phenomena.

R26. The Ionosphere as a Measure of Solar Activity.

R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.

R30. Disturbance Rating in Values of IRPL Quality-Figure Scale from A. T. & T. Co. Transmission Disturbance Reports to Replace T. D. Figures as Reported.

R31. North Atlantic Radio Propagation Disturbances, October 1943 Through October 1945.

R33. Ionospheric Data on File at IRPL.

R34. The Interpretation of Recorded Values of fEs .

R35. Comparison of Percentage of Total Time of Second-Multiple Es Reflections and That of fEs in Excess of 3 Mc.

IRPL-T. Reports on tropospheric propagation:

T1. Radar operation and weather. (Superseded by JANP 101.)

T2. Radar coverage and weather. (Superseded by JANP 102.)

CRPL-T3. Tropospheric Propagation and Radio-Meteorology.. (Reissue of Columbia Wave Propagation Group WPG-5.)

*Items bearing this symbol are distributed only by U. S. Navy. They are issued under one cover as the DNC-14 series.

IONOSPHERIC DATA

CONTENTS

	Page
Symbols and Terminology; Conventions for Determining Median Values	2
Monthly Average and Median Values of World-Wide Ionospheric Data	4
Ionospheric Data for Every Day and Hour at Washington, D. C.	6
Ionosphere Disturbances	7
Solar Coronal Intensities Observed at Climax, Colorado. .	8
American and Zürich Provisional Relative Sunspot Numbers	9
Errata	9
Tables of Ionospheric Data	10
Graphs of Ionospheric Data	43
Index of Tables and Graphs of Ionospheric Data in CRPL-F60	67

SYMBOLS AND TERMINOLOGY; CONVENTIONS FOR DETERMINING MEDIAN VALUES

Beginning with data reported for January 1949, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Fifth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Stockholm, 1948, and given in detail on pages 2 to 10 of the report CRPL-F53, "Ionospheric Data," issued January 1949.

For symbols and terminology used with data prior to January 1949, see report IRPL-061, "Report of International Radio Propagation Conference, Washington, 17 April to 5 May, 1944," previous issues of the F series, in particular, IRPL-F5, CRPL-F24, F33, F50, and report CRPL-7-1, "Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records."

Following the recommendations of the Washington (1944) and Stockholm (1948) conferences, beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

In addition to the conventions for the determination of medians given in Appendix 5 of Document No. 293 E of the Stockholm conference, which are listed on pages 9 and 10 of CRPL-F53, the following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given on pages 2-9 of CRPL-F53 (Appendixes 1-4 of Document No. 293 E referred to above).

a. For all ionospheric characteristics:

Values missing because of A, B, C, F, L, M, N, Q, R, S, or T (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F2 (and h'E near sunrise and sunset) missing for this reason are counted as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count. See CRPL-F38, page 9.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

Values missing because of W are counted:

1. For foF2, as equal to or less than the median when it is apparent that h'F2 is unusually high; otherwise, values missing because of W are omitted from the median count.
2. For h'F2, as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of G (no Es reflections observed, the equipment functioning normally otherwise) are counted as equal to or less than the median foE, or equal to or less than the lower frequency count of the recorder.

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

MONTHLY AVERAGE AND MEDIAN VALUES OF WORLD-WIDE IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 46 and figures 1 to 92 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Australian Council for Scientific and Industrial Research,

Radio Research Board:

Brisbane, Australia

Canberra, Australia

Hobart, Tasmania

Australian Department of Supply and Shipping, Bureau of
Mineral Resources, Geophysical Section:

Watheroo, W. Australia

British Department of Scientific and Industrial Research,

Radio Research Board:

Falkland Is.

Fraserburgh, Scotland

Singapore, British Malaya

Slough, England

Radio Wave Research Laboratory, Central Broadcasting Administration:

Chungking, China

Lanchow, China

All India Radio (Government of India), New Delhi, India:

Bombay, India

Delhi, India

Madras, India

Tiruchirapalli, India

Indian Council of Scientific and Industrial Research,

Radio Research Committee:

Calcutta, India

Electrical Communications Laboratory, Ministry of Communications:

Fukaura, Japan

Shibata, Japan

Tokyo (Kokubunji), Japan

Wakkanai, Japan

Yamakawa, Japan

New Zealand Radio Research Committee:

Christchurch, New Zealand (Canterbury University College Observatory)

Rarotonga I.

South African Council for Scientific and Industrial Research:
 Capetown, Union of S. Africa
 Johannesburg, Union of S. Africa

United States Army Signal Corps:
 Okinawa I.

National Bureau of Standards (Central Radio Propagation Laboratory):
 Baton Rouge, Louisiana (Louisiana State University)
 Boston, Massachusetts (Harvard University)
 Huancayo, Peru (Instituto Geofisico de Huancayo)
 Maui, Hawaii
 Palmyra I.
 San Francisco, California (Stanford University)
 San Juan, Puerto Rico (University of Puerto Rico)
 Trinidad, British West Indies
 Washington, D. C.
 White Sands, New Mexico
 Wuchang, China (National Wuhan University)

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when f_oF_2 is less than or equal to f_oF_1 , leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

Ordinarily a blank space in the fEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of f_oE . Blank spaces at the beginning and end of columns of $h'F_1$, f_oF_1 , $h'E$, and f_oE are usually the result of diurnal variation in these characteristics. Complete absence of medians of $h'F_1$ and f_oF_1 is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.
- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.
- c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

<u>Month</u>	<u>Predicted Sunspot No.</u>				
	1949	1948	1947	1946	1945
December		114	126	85	38
November		115	124	83	36
October		116	119	81	23
September		117	121	79	22
August		123	122	77	20
July	108	125	116	73	
June	108	129	112	67	
May	108	130	109	67	
April	109	133	107	62	
March	111	133	105	51	
February	113	133	90	46	
January	112	130	88	42	

IONOSPHERIC DATA FOR EVERY DAY AND HOUR AT WASHINGTON, D. C.

The data given in tables 47 to 58 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols and Terminology; Conventions for Determining Median Values."

IONOSPHERE DISTURBANCES

Table 59 presents ionosphere character figures for Washington, D. C., during July 1949, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, geomagnetic K-figures, which are usually covariant with them.

Table 60 lists for the stations whose locations are given the sudden ionosphere disturbances observed on the continuous field intensity recordings made at the Sterling Radio Propagation Laboratory during July 1949.

Table 61 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Point Reyes, California, receiving station of RCA Communications, Inc., for August 1 and 4, 1949.

Table 62 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Brentwood, England, receiving station of Cable and Wireless, Ltd., for various days in June and July 1949.

Table 63 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Riverhead, New York, receiving station of RCA Communications, Inc., for July 29 and 31, 1949.

Table 64 gives provisional radio propagation quality figures for the North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, June 1949, compared with the CRPL daily radio disturbance warnings, which are primarily for the North Atlantic paths, the CRPL weekly radio propagation forecasts of probable disturbed periods, and the half-day Cheltenham, Maryland, geomagnetic K-figures.

The radio propagation quality figures are prepared from radio traffic and ionospheric data reported to the CRPL, in a manner basically the same as that described in IRPL-R31, "North Atlantic Radio Propagation Disturbances, October 1943 through October 1945," issued February 1, 1946. The scale conversions for each report are revised for use with the data beginning January 1948, and statistical weighting replaces what was, in effect, subjective weighting. Separate master distribution curves of the type described in IRPL-R31 were derived for the part of 1946 covered by each report; data received only since 1946 are compared with the master curve for the period of the available data. A report whose distribution is the same as the master is thereby converted linearly to the Q-figure scale. Each report is given a statistical weight which is the reciprocal of the departure from linearity. The half-daily radio propagation quality figure, beginning January 1948, is the weighted mean of the reports received for that period.

These radio propagation quality figures give a consensus of opinion of actual radio propagation conditions as reported by the half day over the two general areas. It should be borne in mind, however, that though the quality may be disturbed according to the CRPL scale, the cause of the disturbance is not necessarily known. There are many variables that must be considered. In addition to ionospheric storminess itself as the cause, conditions may be reported as disturbed because of seasonal characteristics such as are particularly evident in the pronounced day and night contrast over North Pacific paths during the winter months, or because of improper frequency usage for the path and time of day in question. Insofar as possible, frequency usage is included in rating the reports. Where the actual frequency is not shown in the report to the CRPL, it has been assumed that the report is made on the use of optimum working frequencies for the path and time of day in question. Since there is a possibility that all the disturbance shown by the quality figures is not due to ionospheric storminess alone, care should be taken in using the quality figures in research correlations with solar, auroral, geomagnetic, or other data. Nevertheless, these quality figures do reflect a consensus of opinion of actual radio propagation conditions as found on any one half day in either of the two general areas.

SOLAR CORONAL INTENSITIES OBSERVED AT CLIMAX, COLORADO

In tables 65a and 65b are listed the intensities of the green (5303A) line of the emission spectrum of the solar corona as observed during July 1949 by the High Altitude Observatory of Harvard University and the University of Colorado at Climax, Colorado, for east and west limbs, respectively, at 5-degree intervals of position angle north and south of the solar equator at the limb. Beginning January 11, 1949, the actual measurements are on solar rotation coordinates rather than astronomical coordinates; thus values of the correction P given in previous coronal tables are omitted. The time of observation is given to the nearest tenth of a day, GCT. The tables of coronal observations in CRPL-F29 to F41 listed the data on astronomical coordinates; the present format on solar rotation coordinates is in conformity with the tables of CRPL-1-4, "Observations of the Solar Corona at Climax, 1944-46."

Tables 66a and 66b give similarly the intensities of the first red (6374A) coronal line; tables 67a and 67b list the intensities of the second red (6704A) coronal line. The following symbols are used in tables 65, 66, and 67: a, observation of low weight; -, corona not visible; and x, position angle not included in plate estimates.

AMERICAN AND ZÜRICH PROVISIONAL RELATIVE SUNSPOT NUMBERS

Table 68 presents the daily American relative sunspot number, R_A , computed from observations communicated to CRPL by observers in America and abroad. Beginning with the observations for January 1948, a new method of reduction of observations is employed such that each observer is assigned a scale-determining "observatory coefficient," ultimately referred to Zürich observations in a standard period, December 1944 to September 1945, and a statistical weight, the reciprocal of the variance of the observatory coefficient. The daily numbers listed in the table are the weighted means of all observations received for each day. Details of the procedure are given in the Publication of the Astronomical Society of the Pacific, issued February 1949, in an article entitled "Reduction of Sunspot-Number Observations." The American relative sunspot number computed in this way is designated R_A . It is noted that a number of observatories abroad, including the Zürich observatory, are included in R_A . The scale of R_A was referred specifically to that of the Zürich relative sunspot numbers in the standard comparison period; since that time, R_A is influenced by the Zürich observations only in that Zürich proves to be a consistent observer and receives a high statistical weight. In addition, this table lists the daily provisional Zürich sunspot numbers, R_Z .

ERRATA

1. CRPL-F59, p. 56, fig. 64: The lower limiting frequency indicated below the graph should be 3.9 Mc instead of 3 Mc.
2. CRPL-F59, p. 16, table 26: The time indicated under the table should be "local" instead of 112.5°E. (The graphs were drawn correctly, however.)

TABLES OF IONOSPHERIC DATA

10

Table 1

Washington, D.C. (39.0°N, 77.5°W)

July 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	6.5					3.8	2.8
01	270	5.9					3.6	2.8
02	270	5.6					3.1	2.8
03	265	5.2					3.6	2.8
04	270	4.7					3.8	2.8
05	280	4.6	---	---	---	---	3.9	2.9
06	275	5.6	240	3.9	110	2.3	3.8	3.0
07	310	6.0	230	4.5	100	2.8	4.4	2.9
08	340	6.6	220	4.8	100	3.2	5.2	2.9
09	355	7.0	200	4.9	100	3.4	4.8	2.8
10	370	7.1	210	5.1	100	3.7	5.3	2.9
11	370	7.1	220	5.2	100	(3.8)	5.0	2.8
12	370	7.1	230	5.3	100	(3.8)	4.3	2.7
13	410	6.9	230	5.2	100	(3.8)	4.3	2.7
14	385	7.0	220	5.2	100	3.8	4.0	2.8
15	380	7.1	220	5.0	100	3.7	4.2	2.8
16	350	7.2	220	4.9	100	3.5	4.2	2.8
17	330	7.0	225	4.7	100	3.1	4.3	2.9
18	300	7.2	230	4.3	110	2.5	4.0	2.9
19	250	7.4			120	1.9	4.1	2.9
20	250	7.5					4.0	2.9
21	250	7.2					3.4	2.8
22	260	6.9					3.4	2.8
23	270	6.7					3.2	2.8

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 2

Boston, Massachusetts (42.4°N, 71.2°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	295	5.6						2.6
01	292	5.8						2.5
02	295	5.8						2.6
03	290	4.8						2.7
04	300	4.7						2.7
05	300	5.0						2.8
06	300	5.8	---	---				2.8
07	335	6.3	255	4.8				2.8
08	385	6.9	242	4.9				2.7
09	400	6.8	235	5.0				2.6
10	410	7.2	220	5.1				2.6
11	402	7.4	235	4.9				2.6
12	425	7.2	232	5.0				2.6
13	420	7.2	225	5.0				2.6
14	400	7.0	232	5.0				2.8
15	400	7.3	242	5.0				2.7
16	380	7.3	253	4.9				2.6
17	320	7.5	265	4.7				2.7
18	290	8.0					5.0	2.7
19	275	8.2						2.7
20	270	7.8						2.8
21	275	7.5						2.6
22	300	7.4						2.6
23	300	5.8						2.6

Time: 75.0°W.

Sweep: 0.8 Mc to 14.0 Mc in 1 minute.

Table 3

San Francisco, California (37.4°N, 122.2°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	5.8					3.0	2.5
01	300	5.7					2.4	2.4
02	300	5.5					2.6	2.4
03	310	5.4					2.6	2.4
04	300	5.2					2.4	2.4
05	280	5.3					2.7	2.6
06	260	6.2	260	4.0	120	2.5	2.7	2.5
07	320	5.5	240	4.5	120	3.0	4.0	2.5
08	380	6.8	220	4.9	120	3.3	5.0	2.5
09	400	7.4	220	5.2	120	3.5	5.4	2.5
10	380	7.8	220	5.4	120	3.5	4.5	2.5
11	420	7.5	200	5.3	120	3.9	4.5	2.5
12	410	8.0	220	5.4	120	3.9	4.3	2.5
13	400	8.2	220	5.4	120	3.8	4.8	2.5
14	375	8.4	220	5.4	120	3.9		2.5
15	360	8.0	225	5.3	120	3.6	4.2	2.5
16	345	7.7	240	5.2	120	3.4	5.1	2.6
17	330	7.8	240	4.7	120	3.1	4.3	2.5
18	260	7.5	260	---	120	2.7	4.0	2.5
19	250	7.8					3.0	2.7
20	260	7.7					2.8	2.7
21	260	7.1					2.8	2.5
22	275	6.5					3.4	2.5
23	300	6.0					3.6	2.5

Time: 120.0°W.

Sweep: 1.3 Mc to 18.0 Mc in 4 minutes.

Table 4

White Sands, New Mexico (32.3°N, 106.5°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	6.3					3.5	2.5
01	300	5.0					2.9	2.5
02	290	5.8					2.8	2.5
03	290	5.4					3.3	2.5
04	290	5.3					2.8	2.5
05	280	5.5						2.7
06	260	5.2	245	---	115	1.8	3.6	2.8
07	335	7.1	240	4.5	110	(2.3)	4.8	2.7
08	360	7.7	220	4.9	110	2.8	5.4	2.5
09	380	8.3	220	5.2	110	3.3	5.4	2.5
10	400	8.2	220	5.2	110	3.5	5.3	2.5
11	400	8.7	220	5.3	110	3.7	5.6	2.5
12	400	8.8	220	5.3	110	3.8	5.4	2.5
13	400	9.0	220	5.3	110	3.9	5.2	2.5
14	400	8.9	220	5.3	110	3.8	4.5	2.5
15	370	8.8	230	5.2	110	3.8	4.8	2.5
16	365	8.4	230	5.1	110	3.5	5.0	2.5
17	340	7.8	240	4.6	110	3.4	4.8	2.5
18	300	8.0	(265)	---	110	3.0	4.6	2.5
19	280	8.2			---	---	(2.4)	4.8
20	260	8.1					4.1	2.7
21	260	7.2					3.8	2.7
22	280	6.6					3.4	2.7
23	290	5.8					4.9	2.6

Time: 105.0°W.

Sweep: 0.8 Mc to 14.0 Mc in 2 minutes.

Table 5

Baton Rouge, Louisiana (30.5°N, 91.2°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	290	6.7					3.0	2.9
01	280	6.6						2.9
02	280	6.3					3.0	3.0
03	280	8.5					2.4	2.9
04	290	5.2						2.9
05	290	5.3						3.0
06	280	6.2	245	3.7	120	2.3		3.0
07	300	7.1	235	4.5	120	3.0	4.3	3.1
08	330	7.5	230	5.0	120	3.4	4.5	2.9
09	340	7.7	205	(5.3)	120	3.5	4.4	2.9
10	375	8.5	(210)	(5.3)	120	(3.6)	4.4	2.8
11	390	8.1	---	---	(120)	3.7	4.3	2.8
12	390	8.4	---	(5.6)	(120)	(3.7)		2.7
13	380	8.4	---	---	120	(3.7)		2.8
14	390	8.5	---	---	120	(3.6)		2.8
15	380	8.2	240	(5.2)	120	3.6		2.8
16	350	8.2	235	5.0	120	3.4	4.0	2.9
17	330	7.8	240	4.6	120	3.2	4.5	2.9
18	300	7.7	250	3.7	120	2.6	4.4	3.0
19	280	7.8					4.4	2.9
20	250	7.7					4.0	3.0
21	270	7.6					3.8	2.9
22	280	6.9					3.8	2.9
23	290	6.7					3.0	2.9

Time: 90.0°W.

Sweep: 2.12 Mc to 15.3 Mc in 8 minutes 30 seconds, automatic operation.

Table 6a*

Maui, Hawaii (20.8°N, 156.5°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	330	8.9						2.6
01	310	8.6						2.7
02	300	8.2						2.7
03	285	7.8						2.8
04	300	7.0						2.7
05	320	6.3						2.8
06	280	6.4	---	---				2.6
07	260	7.4	---	---	105	2.8		2.6
08	320	8.4	240	5.6	110	3.2		2.8
09	445	9.1	230	5.8	110	3.5	4.4	2.3
10	440	10.0	240	5.6	105	---	---	2.3
11	445	10.8	240	5.8	---	---	---	2.3
12	430	11.2	220	8.8	---	---	---	2.4
13	420	11.7	240	5.7	---	---	---	2.4
14	400	11.8	230	5.6	---	---	---	2.4
15	380	12.1	240	5.4	---	---	---	2.5
16	350	12.2	250	5.2	100	3.6	4.5	2.8
17	310	12.4	250	---	110	3.2	4.1	2.7
18	290	11.6	---	---	120	2.8		2.7
19	280	10.8					2.8	2.7
20	295	9.8						2.6
21	305	9.6						2.6
22	340	9.5						2.6
23	320	9.4						2.7

Time: 150.0°W.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

*Data recorded by old equipment.

Table 6b*

Maui, Hawaii (20.8°N, 156.5°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	8.7					3.1	(2.7)
01	300	8.4					2.7	(2.6)
02	280	7.9					2.9	2.7
03	270	7.5					2.3	2.8
04	280	7.0					1.6	2.6
05	300	6.3					1.6	2.6
06	265	6.2	---	---	120	2.0		2.6
07	240	7.0	240	---	110	2.6	4.0	2.7
08	290	8.0	230	5.2	110	3.3	4.2	2.4
09	445	8.8	220	5.4	110	3.5	4.6	2.2
10	485	9.5	220	5.5	110	3.7	5.0	2.2
11	470	10.2	220	5.6	110	3.9	5.2	(2.3)
12	440	10.7	220	5.6	110	4.0	4.0	(2.4)
13	420	11.3	220	5.6	110	4.0		(2.5)
14	400	11.6	220	5.4	110	4.0	3.5	(2.6)
15	380	11.8	220	5.4	110	3.8		(2.6)
16	360	12.1	230	5.2	110	3.5	4.1	(2.7)
17	320	(12.0)	240	4.8	110	3.0	4.2	(2.8)
18	270	(11.2)	---	---	110	2.4	4.0	(2.8)
19	270	10.3					3.6	2.8
20	275	9.4					4.0	2.6
21	300	9.4					4.2	2.6
22	310	9.3					3.9	2.6
23	300	(9.0)					4.0	(2.7)

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

*Data recorded by new equipment.

Table 7

San Juan, Puerto Rico (18.4°N, 66.1°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	10.5						2.7
01	270	10.0						2.8
02	270	9.0						2.8
03	270	8.3						2.8
04	290	7.6						2.8
05	275	7.0						2.8
06	260	7.0						2.9
07	250	7.9						2.9
08	280	8.3						2.8
09	325	8.9						2.7
10	360	9.6						2.6
11	360	10.5						2.6
12	355	11.2						2.6
13	340	11.8						2.6
14	355	11.9						2.6
15	340	11.7						2.6
16	340	11.8						2.6
17	310	11.8						2.7
18	290	11.0						2.7
19	290	10.8						2.7
20	300	(10.6)						(2.8)
21	300	10.4						2.7
22	300	10.2						2.8
23	300	10.3						2.7

Time: 60.0°W.

Sweep: 2.8 Mc to 13.0 Mc in 9 minutes, automatic operation; supplemented by manual operation.

Table 8

Trinidad, British West Indies (10.6°N, 61.2°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	260	11.0						2.9
01	250	9.8						3.0
02	250	9.2						3.0
03	250	8.4						3.0
04	250	7.8						3.0
05	280	7.0						3.0
06	260	7.2			100	2.1	2.4	3.0
07	240	8.2			120	2.8	3.3	3.0
08	250	8.6	220	4.5	120	3.3	3.9	3.0
09	300	9.3	220	5.3	120	3.7	4.2	2.7
10	330	10.0	220	5.4	120	3.9	4.6	2.6
11	350	11.0	220	5.6	120	4.0	4.8	2.6
12	360	11.8	220	5.6	120	4.1	5.2	2.6
13	370	12.0	220	5.7	120	4.1	4.8	2.7
14	350	12.5	220	5.5	120	4.0	5.1	2.8
15	340	12.4	220	5.3	120	3.8	5.2	2.8
16	320	11.8	220	5.1	120	3.4	4.8	2.8
17	280	11.4	230	4.4	120	3.0	4.2	2.7
18	260	11.0	---	---	110	2.4	4.4	2.6
19	280	10.6					4.2	2.7
20	300	11.2					3.4	2.7
21	300	11.4					2.4	2.7
22	290	11.4					2.1	2.8
23	280	11.4						2.9

Time: 60.0°W.

Sweep: 1.5 Mc to 18.0 Mc, manual operation.

Table 9

Palmyra I. (5.9°N, 162.1°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	(11.6)					2.8	2.8
01	280	(10.9)					2.0	(2.8)
02	275	9.8					2.3	2.8
03	265	8.8					2.0	2.9
04	250	7.2					2.0	3.0
05	240	5.2					1.8	3.1
06	290	5.6			---	---	2.1	2.9
07	260	7.1			130	2.7	3.2	2.8
08	240	8.3			120	3.3	3.8	2.6
09	240	9.0	230	---	120	3.6	3.9	2.4
10	250	9.5	230	---	130	3.9		2.3
11	280	9.8	230	---	130	4.0		2.3
12	320	10.0	225	---	130	4.1		2.2
13	340	10.8	240	---	130	4.2		2.2
14	300	11.0	220	---	130	4.0		2.2
15	270	11.0	220	---	130	3.8	3.8	2.3
16	240	11.1	210	---	120	3.4	4.0	2.3
17	240	11.4	---	---	130	2.9	3.6	2.3
18	280	10.9			130	2.3	3.4	2.2
19	335	10.4			---	---	3.7	2.2
20	390	10.0					2.7	2.2
21	380	9.9					2.5	2.3
22	340	10.5					3.2	(2.5)
23	300	12.0					3.6	2.7

Time: 157.5°W.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 36 seconds, automatic operation;
13.0 Mc to 18.0 Mc, manual operation.

Table 10

Huancayo, Peru (12.0°S, 75.3°W)

June 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	230	7.5						3.1
01	230	7.0						3.2
02	230	6.6						3.2
03	230	5.8						3.2
04	240	4.4						3.3
05	245	3.8						3.2
06	280	4.6				1.4	2.8	2.9
07	250	7.7				2.5	5.5	3.0
08	230	9.4				3.0	10.2	2.8
09	(300)	10.0	220	5.3		3.5	10.4	2.7
10	305	9.7	210	5.4		3.7	10.6	2.5
11	300	9.9	200	5.3		3.8	10.6	2.5
12	(310)	9.5	210	5.2		3.8	10.6	2.4
13	300	9.8	210	5.2		3.8	10.6	2.4
14	---	9.7	210	---		3.7	10.6	2.4
15	220	9.7				3.4	10.6	2.3
16	230	9.5				2.9	10.3	2.4
17	260	9.2				2.2	4.8	2.4
18	330	8.6				1.0		2.4
19	330	8.1						2.4
20	305	8.4						2.5
21	260	8.4						2.6
22	230	7.9						2.8
23	230	7.9						3.0

Time: 75.0°W.

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes, automatic operation.

Table 11

Chungking, China (29.4°N, 106.8°E)

May 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	260	12.0					3.0	2.7
01	250	11.5					3.2	2.8
02	210	10.0					2.4	2.9
03	210	9.0					2.2	2.9
04	215	7.6					2.4	2.9
05	235	8.1					2.6	2.9
06	210	9.0	---	---	---	---	4.0	3.0
07	220	10.2	200	---	---	---	4.5	3.0
08	240	10.5	200	---	---	---	5.0	2.9
09	250	11.2	200	---	---	---	5.8	2.7
10	280	12.2	190	6.2	---	---	6.9	2.6
11	300	12.8	200	---	---	---	7.0	2.6
12	320	14.3	200	6.2	100	4.1	6.2	2.6
13	305	14.8	200	6.0	90	4.4	6.6	2.7
14	310	15.0	200	6.0	90	4.0	6.2	2.7
15	280	15.8	190	---	80	3.8	4.7	2.9
16	265	15.0	200	6.0	80	3.4	4.9	2.9
17	240	14.7	200	---	80	3.0	5.1	2.9
18	240	14.5	210	---	---	---	4.3	2.9
19	200	14.0					5.0	2.9
20	200	13.3					4.5	2.7
21	220	12.5					4.6	2.8
22	240	12.0					4.0	2.7
23	260	11.8					3.9	2.7

Time: 105.0°E.

Sweep: 1.5 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 12

Johannesburg, Union of S. Africa (26.2°S, 28.0°E)

May 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	(270)	3.0						2.8
01	(270)	3.2						2.8
02	(270)	3.1						2.8
03	(260)	3.2						2.9
04	(250)	3.2						2.9
05	(260)	3.2						2.8
06	250	3.2						2.9
07	230	6.9				2.0		3.2
08	230	9.8			110	2.7		3.3
09	240	10.7	220	3.7	110	3.2		3.2
10	250	11.7	220	4.6	110	3.5		3.1
11	250	11.8	210		110	3.7		3.1
12	250	12.0	210	5.2	110	3.7		3.0
13	250	11.8	210		110	3.7		2.9
14	250	12.2	215		110	3.5	3.6	2.9
15	240	11.9	220	4.0	110	3.2	3.4	2.9
16	240	11.8	230		110	2.8	3.2	2.9
17	230	11.3			110	2.2	2.4	3.1
18	220	9.9					2.0	3.1
19	210	7.0					1.8	3.1
20	230	6.0					1.7	3.2
21	230	4.8						3.2
22	230	3.4					1.8	3.1
23	(260)	3.0						2.9

Time: 30.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 13

Watheroo, W. Australia (30.3°S, 115.9°E)

May 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	275	4.0					2.8	2.8
01	270	4.2					2.8	2.8
02	270	4.1					2.8	2.8
03	260	4.1					2.8	2.9
04	260	4.0					2.8	2.9
05	250	3.7					2.8	2.8
06	250	3.4					3.0	2.9
07	240	6.2				2.0	2.9	3.2
08	240	8.7				2.5	3.3	3.4
09	250	10.2	240	4.5		3.1	3.3	3.2
10	250	11.1	240	4.8		3.3		3.2
11	260	11.6	240	5.0		3.4	3.5	3.2
12	260	11.3	230	4.9		3.3	3.8	3.0
13	265	11.2	230	5.0		3.4	3.7	3.0
14	260	11.2	240	4.4		3.3	3.8	3.0
15	260	11.3	240	4.4		3.1	3.6	3.0
16	250	11.3				2.6	3.3	3.0
17	240	10.8				2.0	3.3	3.1
18	225	9.4					3.3	3.1
19	230	7.0					3.2	3.0
20	240	6.1					2.8	3.1
21	245	4.6					2.9	3.0
22	260	4.0					2.8	2.8
23	270	4.1					2.8	2.8

Time: 120.0°E.

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes, automatic operation.

Table 14

Capetown, Union of S. Africa (34.2°S, 18.3°E)

May 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	(270)	2.7						2.8
01	(280)	2.8						2.8
02	(280)	2.9						2.8
03	(280)	3.1						2.8
04	(280)	3.1						2.9
05	(260)	3.2						3.0
06	240	3.2						3.0
07	240	3.4						2.9
08	230	7.0				2.1		3.3
09	230	9.0	230		110	2.8		3.3
10	240	10.2	220	3.7	110	3.1		3.2
11	250	11.4	220		110	3.4		3.1
12	250	12.4	210		110	3.6		3.0
13	250	12.1	210		110			2.9
14	270	13.0	230		110	(3.5)		2.9
15	260	13.4	240		110	(3.2)		2.9
16	240	12.7	235		110	3.0		2.9
17	230	12.1			110	2.4		3.0
18	220	11.0			100	1.7		3.1
19	210	8.0					1.4	3.1
20	230	7.5						3.2
21	220	5.0						3.3
22	230	3.0						3.2
23	(250)	2.6						2.9

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 15

Wakkanai, Japan (45.4°N, 141.7°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	250	7.6						2.8
01	290	7.5						2.8
02	280	7.4						2.8
03	280	6.9						2.8
04	280	6.6						2.7
05	265	7.7			100	1.8		2.8
06	230	9.7	220		100	2.4		3.0
07	250	10.6	240		100	3.0		3.0
08	250	11.5	220		100	3.3	3.5	3.0
09	250	11.8	220		100	3.5	4.0	2.8
10	260	12.0	220		100	3.7	4.3	2.9
11	250	12.0	210		100	3.7		2.8
12	280	12.1	215		100	3.6		2.8
13	290	11.9	220		100	3.6	(4.0)	2.8
14	290	11.8	220		100	3.7		2.8
15	270	11.5	225		100	3.4		2.9
16	250	11.3	220		100	3.1	3.2	2.9
17	240	10.6	225		100	2.5	2.8	2.8
18	245	10.2			100	1.9	2.5	3.0
19	230	9.3				1.5	1.9	2.8
20	240	8.4						3.0
21	250	8.1						2.8
22	270	8.0						(2.9)
23	285	7.8						2.8

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 16

Fukaura, Japan (40.6°N, 139.9°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	8.6						2.6
01	290	8.6						2.7
02	280	8.2						2.7
03	275	7.6						2.6
04	290	7.3						2.6
05	280	8.2					1.9	2.6
06	250	10.0			110	2.2		2.9
07	240	11.3	250		110	2.9	3.2	3.0
08	250	11.8			110	3.2	3.4	3.0
09	255	12.1	230		110	3.5	3.8	3.0
10	280	12.5	230		110	3.6	4.2	2.9
11	290	12.2	230		110	3.6	(3.8)	2.8
12	300	12.7	225		110	3.4		2.8
13	300	12.5	220		110	3.8		2.8
14	280	12.3	230		110	3.5	4.1	2.8
15	280	12.2	245		110	3.5		2.8
16	260	11.9	240		110	3.2	3.4	2.8
17	260	11.7			110	2.7	3.0	2.9
18	255	11.2			110	1.9		2.9
19	250	10.4					3.0	2.9
20	260	9.3					2.9	2.8
21	280	9.2					2.7	2.6
22	290	9.0					2.2	2.6
23	300	9.0						2.6

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 17

Shibata, Japan (37.9°N, 139.8°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	290	9.2						2.7
01	260	9.0						2.7
02	270	8.7						2.8
03	255	7.8					2.4	2.7
04	280	7.3					1.7	2.6
05	290	8.0				1.5	2.5	2.7
06	220	10.1			110	2.4	2.8	3.0
07	230	11.5	220		100	3.0	3.4	3.0
08	240	12.6	220		100	3.3	4.0	3.0
09	240	13.0	210		100	3.6	4.3	2.9
10	270	13.2	210		100	3.8	4.8	2.8
11	280	13.5	210		100	3.8	4.4	2.8
12	290	13.9	210		100	3.9	4.8	2.7
13	290	13.8	220		100	3.8	4.2	2.7
14	280	13.5	220		100	3.7	4.5	2.8
15	280	13.1	220		100	3.5	4.5	2.7
16	260	12.7	230		100	3.2	3.9	2.8
17	250	12.0	240		100	2.8	3.6	2.8
18	250	11.7			120	1.9	3.1	2.9
19	250	10.8					3.0	2.9
20	250	9.5					2.9	2.8
21	280	9.4					2.5	2.7
22	290	9.3					2.7	2.7
23	290	9.2						2.7

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 18

Lanchow, China (36.1°N, 103.8°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	320	9.2						2.5
01	315	(9.4)						(2.5)
02	335	8.9						2.4
03	330	8.2						2.4
04	320	7.3						2.4
05	330	7.4						2.4
06	300	9.2					2.9	2.5
07	500	11.5	290		160	3.0	3.4	2.7
08	320	12.6	300				3.8	2.6
09	320	13.3	320				4.2	2.5
10	340	13.3	305				4.4	2.5
11	350	13.8	320				4.3	2.5
12	355	13.6	320				4.3	2.4
13	380	13.8	320				4.8	2.4
14	385	13.7	340				(4.5)	2.4
15	380	13.6	340				4.5	2.3
16	360	13.2	320				4.5	2.3
17	360	13.0	300		140	3.2	4.3	2.4
18	335	12.7	320		160	2.8	3.7	2.5
19	310	12.0					3.6	2.5
20	(300)	(11.5)						(2.5)
21	(300)	(11.6)						(2.5)
22	330	(9.9)						(2.4)
23	340	9.4						2.5

Time: 105.0°E.

Sweep: 2.4 Mc to 16.0 Mc in 15 minutes, manual operation.

Table 19

Tokyo, Japan (35.7°N, 139.5°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	9.7					1.8	2.8
01	250	9.4					1.6	2.9
02	240	9.0					1.3	3.0
03	230	7.9					1.3	2.8
04	250	7.5				E	1.3	2.7
05	270	8.4			110	1.6	1.7	2.8
06	230	10.4			110	2.4		3.1
07	220	11.7	220		100	2.9	3.5	3.1
08	230	12.6	220		100	3.3	4.2	3.0
09	240	13.2	215	5.6	100	3.5	4.6	2.9
10	240	13.4	210		100	3.8	4.8	2.9
11	270	14.2	210	6.0	100	3.9	5.0	2.8
12	270	14.4	270	6.2	100	(4.1)	4.8	2.8
13	280	14.5	220		100	4.0	5.0	2.8
14	290	14.0	210	6.0	100	3.7	5.0	2.8
15	270	13.8	220		100	3.5	4.8	2.8
16	260	13.2	210		100	3.3	4.4	2.8
17	240	12.8	220		100	2.8	3.8	3.0
18	240	12.4			110	2.0	4.0	3.0
19	230	11.3					3.3	3.0
20	230	10.0					3.0	2.9
21	250	9.8					2.4	2.8
22	270	9.7					2.2	2.8
23	265	9.8					2.2	2.8

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 20

Yamakawa, Japan (31.2°N, 130.6°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	290	10.4						2.8
01	280	10.4						2.8
02	260	10.0						2.9
03	250	8.8						2.9
04	270	7.6						2.8
05	280	7.4	---	---				2.7
06	280	8.2	260	---	185	1.7		2.8
07	260	10.3	240	---	110	2.4		3.1
08	260	11.2	240	---	110	3.1	3.8	3.1
09	270	11.8	230	---	110	3.4	4.2	2.9
10	280	12.5	220	---	110	3.7	4.8	2.8
11	300	13.7	220	---	110	3.8	5.0	2.7
12	300	14.4	230	---	110	---	4.8	2.8
13	310	14.4	230	---	110	---	5.0 (2.8)	2.7
14	310	14.4	230	---	110	---	5.2	2.7
15	315	14.1	240	---	110	3.8	5.0	2.7
16	300	13.8	240	---	115	3.5	4.6	2.7
17	300	13.3	240	---	110	3.1	3.8	2.7
18	300	13.1	250	---	120	2.4	3.8	2.8
19	270	12.1	240	---	---	1.6	3.4	2.9
20	270	10.7	---	---	---	---	3.0	2.8
21	280	10.4					2.6	2.7
22	290	10.4					2.2	2.7
23	300	10.6						2.8

Time: 135.0°E.

Sweep: 1.2 Mc to 18.5 Mc in 15 minutes, manual operation.

Table 21

Wuchang, China (30.6°N, 114.6°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	260	12.5						2.9
01	260	12.0						3.0
02	245	10.0						3.0
03	235	9.0						3.1
04	240	7.8						2.9
05	270	7.4						2.8
06	265	8.1			---	---		2.9
07	230	10.5			122	2.6		3.2
08	220	11.5	---	---	110	3.3		3.1
09	230	12.2	222	5.2	108	3.6		3.0
10	240	13.0	220	7.0	100	3.6		2.8
11	285	14.6	230	6.6	100	3.8		2.8
12	278	15.5	240	6.8	100	---		2.8
13	300	15.5	240	6.8	105	---		2.7
14	320	15.5	230	6.8	100	---		2.7
15	315	15.5	235	6.6	100	---		2.7
16	290	15.4	240	6.4	110	3.6		2.7
17	250	14.6	232	5.5	110	---		2.8
18	250	14.0	240	---	120	2.6		2.8
19	255	13.5			---	---	3.2	2.8
20	250	13.2					2.8	2.8
21	262	12.2						2.7
22	278	13.0						2.8
23	265	13.0						2.9

Time: 120.0°E.

Sweep: 1.2 Mc to 19.0 Mc in 15 minutes, automatic operation; supplemented by manual operation.

Table 22

Okinawa, I. (26.3°N, 127.7°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		15.2						2.9
01		14.3						3.0
02		13.2						3.1
03		10.7						3.0
04		8.7						2.9
05		7.7						3.0
06		8.0						2.9
07		10.1			E			3.2
08		11.3			E	3.6		3.1
09		11.7			---	4.4		2.9
10		13.1			---	4.6		2.8
11		14.4			---	4.6		2.7
12		15.6			---	4.6		2.8
13		16.1			---	4.6		2.8
14		16.2			---	4.6		2.7
15		16.5			---	4.4		2.7
16		16.5			---	4.2		2.7
17		16.0			E	3.9		2.8
18		15.4			E	3.6		2.9
19		14.9						2.8
20		14.0						2.8
21		15.0						2.8
22		(14.5)						2.8
23		(14.5)						(2.9)

Time: 135.0°E.

Sweep: 3.2 Mc to 18.0 Mc in 15 minutes, manual operation.

Table 23

Barotonga I. (21.3°S, 159.8°W)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00								
01	250	11.2					2.5	2.8
02								
03								
04								
05								
06	260	7.3			---	E	3.1	2.9
07	250	11.0			---	2.3	3.0	3.1
08	250	13.0			110	3.0	3.6	3.1
09	240	13.6			110	3.4	4.2	3.0
10	230	14.7	---	---	110	3.7	4.4	2.9
11	240	14.7	---	---	110	3.9	4.5	2.8
12	250	14.6	250	7.0	110	3.9	4.6	2.7
13	340	15.4	230	7.3	110	3.9	4.9	2.6
14	340	15.2	240	7.0	110	3.8	5.2	2.6
15	335	15.0	245	6.8	110	3.6	5.3	2.6
16	260	14.9	240	---	110	3.3	5.0	2.6
17	260	15.0	---	---	---	2.6	4.9	2.7
18	270	14.6			---	E	4.8	2.7
19	270	14.4					4.5	2.7
20	255	14.0					4.0	2.7
21	260	13.4					3.7	2.8
22	250	12.3					3.6	2.9
23	250	11.7					3.1	2.8

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 24

Brisbane, Australia (27.5°S, 153.0°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	7.5					2.0	2.7
01	270	7.4					2.1	2.7
02	260	7.1					2.1	2.8
03	245	6.6					2.2	2.8
04	260	5.8					2.0	2.7
05	270	5.8					1.4	2.7
06	250	7.0			---	1.7		2.9
07	240	10.0			110	2.6		3.2
08	240	12.0			110	3.2		3.1
09	240	12.9	230	5.0	110	3.5		3.1
10	250	13.0	230	5.0	110	3.8		3.0
11	268	13.0	230	6.6	110	3.9		2.9
12	280	13.0	230	7.0	110	4.0		2.8
13	200	13.0	230	6.5	110	3.9	3.4	2.8
14	290	13.0	240	6.5	110	3.7	3.8	2.9
15	250	12.4	230	5.0	110	3.5		2.8
16	240	12.0	---	---	110	3.0	3.0	2.8
17	240	12.0			115	2.3	2.8	2.8
18	240	11.0			---	(1.5)	3.1	2.8
19	250	9.4					3.1	2.8
20	260	9.4					2.2	2.8
21	250	8.5					2.0	2.8
22	250	8.0					2.0	2.8
23	260	7.6					2.2	2.7

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 25

Watheroo, W. Australia (30.5°S, 115.9°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	265	6.5					2.9	2.9
01	260	6.2					3.0	2.8
02	265	5.8					3.2	2.9
03	250	5.6					3.0	2.9
04	250	5.1					3.0	2.7
05	270	4.8					3.0	2.7
06	250	5.0					2.8	2.8
07	240	8.4				2.0	2.2	3.3
08	240	11.0	---	---		2.8	3.5	3.5
09	240	12.0	230	---		3.3	3.4	3.2
10	240	12.8	230	4.8		3.3	3.7	3.1
11	250	13.0	230	5.0		3.5	3.8	3.0
12	250	13.0	230	4.9		3.6	3.9	2.9
13	250	13.0	230	4.8		3.8	3.8	2.9
14	250	13.1	230	---		3.8	3.8	2.8
15	240	12.8	235	---		3.3	3.6	2.8
16	240	12.4	---	---		3.0	3.3	2.8
17	240	12.0				2.2	3.3	2.9
18	240	11.5					3.0	2.9
19	240	10.0					3.0	2.9
20	240	9.0					2.8	3.0
21	240	8.2					2.8	3.0
22	240	7.4					2.9	2.9
23	250	6.7					3.2	2.9

Time: 120.0°E.

Sweep: 16.0 Mc to 0.5 Mc in 16 minutes, automatic operation.

Table 26

Canberra, Australia (35.5°S, 149.0°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	7.0					3.3	2.6
01	265	7.0					2.9	2.7
02	260	6.7					3.2	2.7
03	250	6.3					2.6	2.8
04	250	5.9					2.8	2.8
05	250	5.5					2.6	2.7
06	250	5.5			---	(1.3)	2.5	2.9
07	225	8.5			110	2.2	2.6	3.2
08	220	11.0			100	3.0	4.2	3.2
09	220	11.8	---	---	100	3.3	4.0	3.2
10	225	12.3	210	4.6	100	3.5	4.1	3.1
11	228	12.5	205	4.6	100	3.6	4.2	3.0
12	240	12.6	200	4.6	100	3.7	4.5	3.0
13	240	12.6	202	4.5	100	3.7	3.8	2.9
14	240	12.5	210	4.5	100	3.5	4.5	2.9
15	230	12.2	---	---	100	3.3	3.8	3.0
16	230	12.0	---	---	100	3.0	3.7	3.0
17	230	11.4	---	---	100	2.3	3.5	3.0
18	230	11.0			---	(1.5)	3.4	2.9
19	240	9.8					2.6	2.8
20	240	8.8					2.6	2.9
21	240	8.1					2.4	2.8
22	250	7.6					2.8	2.7
23	260	7.1					3.4	2.7

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 27

Hobart, Tasmania (42.8°S, 147.4°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	260	6.7					3.1	2.6
01	270	6.4					3.0	2.6
02	250	6.2					3.0	2.6
03	250	5.6					3.0	2.6
04	250	5.5					2.9	2.7
05	250	5.5					2.4	2.6
06	240	5.3			---	B	2.8	2.7
07	240	7.0			140	(2.0)	2.1	3.2
08	240	10.1			100	2.6	2.1	3.4
09	230	10.5			100	3.0	3.5	3.4
10	230	(11.0)			100	3.3	3.3	(3.4)
11	240	(10.8)			100	3.4		(3.4)
12	240	(10.5)			100	3.6		(3.4)
13	240	(11.0)			100	3.5	4.0	(3.5)
14	230	(11.0)			---	3.3	4.0	3.4
15	230	(11.0)			100	3.1	4.2	(3.2)
16	230	(11.0)			---	2.7	4.0	(3.3)
17	230	---			---	2.0	3.5	---
18	(230)	(10.7)			---	---	(2.7)	(3.2)
19	250	9.7					(2.1)	3.1
20	240	8.5					2.1	3.1
21	250	7.5					2.2	2.8
22	250	7.0					2.7	2.7
23	250	7.0					2.4	2.6

Time: 150.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 28

Christchurch, New Zealand (43.6°S, 172.7°E)

April 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	290	6.8					3.2	2.5
01	290	6.4					3.2	3.5
02	285	6.4					3.5	2.6
03	280	6.3					2.8	2.8
04	270	6.0					2.9	2.7
05	260	5.4					3.1	2.7
06	265	5.3				---	3.0	2.8
07	250	8.0	---	---		1.7	3.5	3.1
08	240	10.7	---	---		2.6	3.9	3.1
09	240	12.4	---	---		3.0	4.4	3.0
10	240	13.1	---	---		3.3	4.5	3.0
11	240	D	230	4.7		3.4	4.5	(2.9)
12	240	D	---	---		3.5	4.5	(2.9)
13	240	D	---	---		3.5	4.6	2.8
14	240	D	---	---		3.3	4.3	2.8
15	250	D	---	---		3.1	4.4	2.8
16	250	12.8	---	---		2.6	4.2	2.8
17	240	12.3	---	---		2.0	4.0	2.8
18	240	11.2	---	---		---	3.4	2.8
19	250	9.8	---	---		---	3.2	2.8
20	250	8.8	---	---		---	3.0	2.8
21	270	7.9	---	---		---	3.1	2.6
22	260	7.3	---	---		---	3.5	2.6
23	280	7.0	---	---		---	3.2	2.6

Time: 172.5°E.

Sweep: 1.0 Mc to 13.0 Mc.

Table 29

Wakkanai, Japan (45.4°N, 141.7°E)

March 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	280	6.5						2.8
01	270	8.4						2.8
02	290	6.3					1.9	2.8
03	280	6.0					2.0	2.6
04	290	5.6					1.3	2.6
05	396	6.8			---	---		2.6
06	246	7.2	---	---	100	1.8		2.8
07	(240)	(9.8)	---	---	(100)	(2.5)		(2.9)
08	220	11.8	220	---	100	3.1		3.0
09	230	12.5	210	---	100	3.3	3.3	3.0
10	225	12.8	---	---	100	3.5	3.8	3.0
11	250	12.9	210	---	100	3.5	3.8	3.0
12	250	12.7	200	---	100	3.6		3.0
13	260	12.6	210	---	100	3.5		2.9
14	280	12.3	210	---	100	3.5	3.6	2.9
15	250	11.8	210	---	100	3.3	3.4	3.0
16	230	11.5	220	---	100	2.9		3.0
17	220	10.6	---	---	100	2.3		3.1
18	220	9.6	---	---	---	1.6	2.2	3.0
19	220	8.6	---	---	---		2.0	3.0
20	220	7.2	---	---	---			3.0
21	250	8.7	---	---	---			2.9
22	260	6.5	---	---	---			2.9
23	270	6.6	---	---	---			2.8

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 30

Fukaura, Japan (40.8°N, 139.9°E)

March 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	290	7.4					2.0	2.7
01	280	7.2					2.0	2.7
02	270	6.9					2.0	2.7
03	270	6.5					1.2	2.6
04	300	6.2					2.0	2.5
05	310	6.2					2.0	2.5
06	260	7.8			120	1.8		2.9
07	230	10.8	---	---	110	2.6		3.1
08	240	(12.1)	---	---	110	3.1	3.2	(3.2)
09	240	(12.6)	---	---	110	3.3	(3.8)	(3.1)
10	240	(12.0)	---	---	110	3.4	(4.2)	(3.0)
11	250	---	---	---	(110)	---	(4.5)	---
12	250	(12.7)	---	---	(110)	---	(4.0)	(2.9)
13	260	(12.6)	---	---	(110)	---	---	(3.0)
14	260	(12.4)	---	---	(110)	---	(3.7)	(3.0)
15	240	(12.1)	---	---	110	3.2	(3.0)	(3.0)
16	250	12.0	---	---	110	3.0	3.2	2.9
17	250	11.7	---	---	110	2.4	2.9	3.0
18	240	11.1	---	---	106	1.8	2.4	3.0
19	240	9.4	---	---	---	---	2.4	2.9
20	250	8.4	---	---	---	---	2.0	2.8
21	270	7.8	---	---	---	---	---	2.7
22	280	7.7	---	---	---	---	---	2.7
23	290	7.8	---	---	---	---	---	2.7

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 31

Shibata, Japan (37.9°N, 139.3°E)

March 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	275	7.6						2.8
01	270	7.6						2.8
02	260	7.3					2.1	2.8
03	260	6.6						2.7
04	280	6.0						2.6
05	300	6.2						2.4
06	260	7.6	230	---	165	1.7		2.3
07	220	11.0	---	---	100	2.6		3.1
08	220	12.7	220	---	100	3.1		3.1
09	220	13.3	---	---	100	3.4		3.1
10	240	13.9	210	---	100	3.6		3.0
11	240	14.2	215	---	100	3.8		2.9
12	250	14.0	210	---	100	3.9		2.8
13	250	14.4	200	---	100	3.8		2.8
14	235	13.8	210	---	100	3.7		2.8
15	230	13.4	210	---	100	3.4		2.8
16	230	12.7	220	---	100	3.0		2.8
17	230	12.1	---	---	100	2.4		3.0
18	230	11.3	220	---	---	1.8		3.0
19	220	9.5	---	---	---			2.9
20	230	8.6	---	---	---		2.0	2.8
21	250	7.8	---	---	---			2.8
22	270	7.7	---	---	---			2.8
23	275	7.8	---	---	---			2.8

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 22

Tokyo, Japan (35.7°N, 139.5°E)

March 1949

Time	h'F2	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000
00	260	8.1					2.0	2.9
01	250	8.1					2.2	2.9
02	230	7.5					1.8	3.0
03	230	6.6					2.0	2.8
04	240	6.2					2.0	2.8
05	280	6.2					2.0	2.8
06	245	7.9	---	---	115	(1.8)		3.0
07	210	10.8	---	---	100	2.6		3.3
08	215	12.6	215	---	100	3.2	3.5	3.2
09	210	13.5	210	---	100	3.5	3.8	3.2
10	220	14.0	210	---	100	3.8	4.6	3.0
11	230	14.5	200	---	100	3.9	4.2	3.0
12	235	14.5	205	---	100	4.0	4.6	2.9
13	240	14.4	210	---	100	3.9	4.7	2.9
14	240	14.1	215	---	100	3.6	4.4	2.9
15	235	13.6	210	---	100	3.5	4.0	2.9
16	230	13.2	220	---	100	3.2	3.5	2.9
17	220	12.5	230	---	100	2.6	3.0	3.0
18	215	11.7	---	---	100	1.8	3.0	3.1
19	210	9.8					2.4	3.0
20	230	8.5					2.1	2.9
21	240	8.7					2.2	2.8
22	250	8.4					2.0	2.9
23	260	8.5					2.1	2.8

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operations.

Table 33

Yamaguchi, Japan (31.2°N, 130.6°E)

March 1949

Time	h'F2	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000
00	280	9.2						2.7
01	280	8.7						2.8
02	250	8.4						2.9
03	250	7.3						3.0
04	250	5.9						2.7
05	300	5.4						2.6
06	300	5.8	---	---	---	2		2.6
07	250	8.8	---	---	120	2.2		3.0
08	230	11.1	---	---	110	2.8		3.2
09	240	12.7	235	---	110	3.2	3.7	3.0
10	285	13.4	230	---	110	3.6	3.9	2.8
11	290	13.8	220	---	110	3.8	4.4	2.9
12	300	14.2	220	---	110	(4.0)	5.0	2.8
13	300	14.5	220	---	110	(4.0)	5.0	2.8
14	300	14.6	220	---	110	3.8	4.8	2.7
15	300	14.1	220	---	110	3.4	4.3	2.7
16	300	13.9	230	---	110	3.4	3.8	2.8
17	280	13.2	230	---	110	3.0	3.6	2.3
18	250	12.8	---	---	110	2.3		2.8
19	240	11.8			---	---	2.3	2.8
20	240	10.9						2.8
21	250	10.2						2.7
22	260	9.8						2.8
23	270	9.3						2.7

Time: 135.0°E.

Sweep: 1.2 Mc to 18.5 Mc in 15 minutes, manual operation.

Table 24

Chungking, China (29.4°N, 106.8°E)

March 1949

Time	h'F2	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000
00	250	11.5						2.6
01	250	10.0						2.7
02	240	8.6						2.8
03	225	7.6						2.8
04	230	6.5						2.6
05	270	6.1						2.5
06	280	6.8	---	---				2.6
07	240	10.6	240	---	120	2.4	2.9	2.9
08	240	12.6	230	---	90	3.0	3.8	3.0
09	245	13.4	210	---	---	---	4.1	2.8
10	260	14.5	210	---	100	4.0	4.2	2.6
11	275	15.4	210	---	100	4.1	4.3	2.8
12	275	16.2	205	---	95	4.0	4.4	2.6
13	285	16.5	220	7.2	100	4.0	4.6	2.5
14	290	16.8	200	---	100	4.0	4.6	2.5
15	280	15.9	190	---	95	3.8	4.0	2.7
16	265	15.6	200	---	90	3.2	4.0	2.7
17	240	14.9	200	---	90	2.9	3.6	2.7
18	260	15.0	---	---	---	---	2.8	2.6
19	250	15.0					1.7	2.6
20	245	15.0						2.6
21	240	14.6						2.6
22	240	14.8						2.7
23	240	12.4						2.7

Time: 105.0°E.

Sweep: 1.5 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 35

Delhi, India (28.6°N, 77.1°E)

March 1949

Time	*	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000
00	360	9.6						2.8
01	340	9.4						
02	---	---						
03	---	---						
04	(295)	(7.4)						2.9
05	350	7.0						
06	310	7.9						
07	290	10.7						
08	300	12.6						3.2
09	320	13.5						
10	310	13.9						
11	340	14.4						
12	380	14.3						3.2
13	355	(14.5)						
14	360	(14.5)						
15	340	(14.2)						
16	(350)	(14.0)						
17	320	13.8						
18	(320)	(13.6)						
19	---	(13.2)						
20	330	(12.5)						3.2
21	300	11.7						
22	340	10.5						
23	340	10.4						

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

*Height at 0.83 f_oF2.

**Average values; other columns, median values.

Table 36

Bombay, India (19.0°N, 73.0°E)

March 1949

Time	*	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000	**
00									
01									
02									
03									
04									
05									
06									
07	360	10.6							
08	360	12.3						2.9	
09	420	13.6							
10	---	(14.2)							
11	---	(14.6)							
12	---	(14.8)							
13	---	(14.9)							
14	---	(14.9)							
15	---	(14.9)							
16	---	(14.9)							
17	---	(14.9)							
18	---	(14.8)							
19	(480)	(14.6)							
20	---	(14.7)						2.6	
21	---	(14.2)							
22	(420)	(13.7)						2.6	
23									

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

**Average values; other columns, median values.

Table 37

Madras, India (13.0°N, 80.2°E)

March 1949

Time	*	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000	**
00									
01									
02									
03									
04									
05									
06									
07	390	10.4							
08	420	13.1							
09	510	(14.0)							2.6
10	(540)	(14.0)							
11	540	(13.7)							
12	555	12.9							2.3
13	570	12.3							
14	600	12.3							
15	600	12.5							
16	600	12.8							2.2
17	600	12.6							
18	600	12.2							
19	600	(11.8)							
20	(540)	(11.8)							2.3
21	(540)	(12.0)							
22	540	(12.0)							
23									

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

**Average values; other columns, median values.

Table 38

Tirunirapalli, India (12.0°N, 78.8°E)

March 1949

Time	*	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000	**
00									
01									
02									
03									
04									
05									
06									
07	360	9.2							
08	390	12.0							
09	480	13.0							
10	510	12.8							
11	600	12.8							
12	600	12.8							
13	600	12.4							
14	620	12.4							
15	660	12.6							
16	615	12.0							
17	600	11.9							
18	600	11.2							
19	660	10.9							
20	660	9.8							
21	600	10.5							
22	530	9.9							
23									

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 39

Barotonga I. (21.3°S, 159.8°W)

March 1949

Time	h'F2	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000	**
00	290	11.2					2.9	2.6	
01									
02									
03									
04									
05									
06	270	10.0			---	---	2.5	2.9	
07	250	11.6			115	2.4	3.2	3.1	
08	250	12.5			110	3.0	4.1	3.1	
09	240	12.9	---	---	110	3.4	4.6	2.9	
10	240	13.9	220	5.8	110	3.7	4.9	2.7	
11	245	14.6	225	7.1	105	3.9	4.8	2.7	
12	310	14.7	240	6.9	105	4.1	4.9	2.6	
13	350	15.1	230	7.7	105	4.1	5.2	2.6	
14	350	15.4	235	7.2	105	4.1	4.4	2.6	
15	350	14.6	240	7.4	105	4.0	4.8	2.6	
16	300	14.1	245	6.8	110	3.6	4.8	2.6	
17	260	13.7	250	6.6	110	3.0	4.4	2.6	
18	270	13.2	---	---	120	2.0	3.8	2.7	
19	290	12.7	---	---			3.6	2.6	
20	300	12.0	---	---			3.5	2.6	
21	300	11.7					3.1	2.6	
22	300	11.7					3.2	2.6	
23	290	11.2					2.9	2.7	

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 40*

Fraserburgh, Scotland (57.6°N, 2.1°W)

February 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	350	3.8						2.5
01	360	3.5						
02	370	3.0						2.4
03	370	3.2						
04	360	3.0						2.5
05	340	3.1						2.6
06	320	3.4						2.5
07	300	4.4	270#	(3.1)#				2.6
08	250	7.0						
09	240	8.7	290#	4.1#	140	2.4		3.0
10	240	10.0			140	2.9		2.9
11	240	10.6			140	3.0		2.6
12	240	10.5			130	3.1		2.9
13	240	10.4			130	3.1		2.8
14	240	(10.6)			130	2.9		3.0
15	240	(10.4)			140	2.8		2.6
16	240	(10.5)			140	2.5		2.9
17	240	10.0						2.9
18	240	9.4						2.8
19	250	7.3						2.7
20	260	6.4						2.6
21	290	6.0						2.5
22	310	5.0						2.4
23	340	4.6						2.4

Time: Local.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

*Average values except foF2, which are median values.

#One or two observations only.

Table 41*

Slough, England (51.6°N, 0.6°W)

February 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	291	5.3					2.6	2.5
01	297	4.9					3.3	2.6
02	299	4.6					3.6	2.6
03	303	4.2					3.2	2.5
04	289	3.8					3.4	2.6
05	277	3.5					3.6	2.6
06	278	3.5					3.8	2.6
07	258	5.2			133	1.6	4.0	2.8
08	235	8.6	250#	4.5#	128	2.2	4.4	3.0
09	229	10.8	255#	4.4#	123	2.7	4.6	3.0
10	232	12.2	236	4.6	121	3.1	4.8	3.0
11	234	12.5	221	4.5	119	3.3	4.8	3.0
12	229	13.2	226	4.6	119	3.3	4.8	3.0
13	229	12.9	221	4.4	119	3.3	4.8	2.9
14	227	12.8	220	4.3	123	3.2	4.7	2.9
16	227	12.4			122	3.0	4.8	2.9
16	226	11.8			123	2.6	4.8	3.0
17	232	11.2			133	1.9	4.0	3.0
18	221	10.2					2.8	2.9
19	224	8.4					2.8	2.8
20	237	7.4					2.6	2.8
21	255	6.6					2.4	2.7
22	273	6.2					2.6	2.6
23	283	5.6					2.6	2.5

Time: Local.

Sweep: 0.65 Mc to 16.5 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

#One or two observations only.

Table 42

Lanchow, China (36.1°N, 103.8°E)

February 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	390	6.0						2.3
01	380	5.6						2.3
02	370	5.6						2.4
03	360	6.0						2.3
04	325	6.0						2.4
05	330	4.8						2.3
06	390	4.6						2.3
07	340	6.6	340	---	---	---		2.4
08	320	10.2	320	---	---	---	3.1	2.6
09	340	12.5	300	---	160	3.5	4.1	2.5
10	340	14.0	310	---	160	3.7	4.2	2.4
11	345	14.8	300	---	160	4.2	4.3	2.4
12	355	14.5	300	---	---	---	4.4	2.4
13	360	14.0	300	---	---	---	4.5	2.4
14	360	14.0	300	---	---	---	4.5	2.3
15	340	13.8	305	---	---	---	4.2	2.3
16	360	13.0	310	---	150	3.3	3.8	2.3
17	360	12.5	320	---	---	---	3.3	2.4
18	330	11.5	310	---	---	---		2.4
19	320	10.5						2.4
20	320	9.8						2.4
21	320	8.1						2.4
22	350	6.8						2.3
23	380	6.4						2.3

Time: 105.0°E.

Sweep: 2.4 Mc to 16.0 Mc in 15 minutes, manual operation.

Table 43

Calcutta, India (22.6°N, 88.4°E)

February 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	13.9				1.1		2.8
01		12.9				1.0		
02		13.0				1.0		
03	(240)	(10.7)				1.0		(3.1)
04		(7.6)				1.0		
05		(6.9)				---		
06	---	(7.6)				1.4		(3.0)
07		(9.7)				2.2		
08		11.2				3.1		
09	270	12.9				3.5		2.8
10		(13.0)				3.6		
11		(13.5)				---		
12	(270)	13.5				3.8		2.7
13		13.2				---		
14		13.0				---		
16	---	13.2				---		(2.7)
16		13.1				---		
17		13.2				3.1		
18	270	13.1				2.8		2.8
19		(13.0)				2.0		
20		(13.0)				---		
21	270	14.8				2.5		2.8
22		14.8				1.7		
23		15.6				1.2		

Time: Local.

*Probably includes fEs observations.

Table 44*

Singapore, British Malaya (1.3°N, 103.8°E)

February 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	230	9.6						2.8
01	250	(10.4)						2.6
02	260	(10.3)						2.6
03	255	9.4						2.8
04	245	8.5						3.0
05	235	7.4						3.4
06	245	5.6						2.8
07	250	9.0			105	2.6	3.2	2.9
08	240	10.5			110	3.3	4.0	2.7
09	250	11.6			110	3.7	4.4	2.3
10	270	11.6			110	4.1	4.4	2.1
11	225	(11.4)			110	4.3		2.0
12	315	(11.7)			110	4.4	4.8	1.9
13	285	(10.9)	210#	5.2#	110	4.3	4.5	1.9
14	320	(11.2)			110	4.1		1.9
15	330	11.4			110	3.9	4.4	1.9
16	290	11.4			110	3.4	4.0	2.0
17	275	(11.2)			110	3.1	3.8	(2.1)
18	275	(11.4)				2.5	2.9	
19	370	---						
20	395	---						(2.2)
21	315	---						
22	255	---					2.4	(2.7)
23	225	(11.1)						(2.6)

Time: Local.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

*Average values except f°F2 and fEs, which are median values.

#One or two observations only.

Table 45

Calcutta, India (22.6°N, 88.4°E)

January 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	(270)	10.8					1.1	(3.0)
01		10.0					1.2	
02		8.8					1.7	
03	(240)	7.8					1.2	(3.0)
04		6.1					1.1	
05		---					---	
06	(270)	6.8					---	(2.8)
07		8.8					2.2	
08		10.4					2.6	
09	(270)	12.2					3.2	(2.8)
10		13.2					3.5	
11		13.3					---	
12	(300)	13.3					3.8	(2.7)
13		13.4					3.6	
14		13.6					3.6	
15	270	13.5					3.6	2.8
16		13.5					3.6	
17		13.6					3.0	
18	270	13.5					2.6	2.8
19		13.3					2.3	
20		12.8					1.8	
21	270	12.4					1.3	2.9
22		11.2					1.4	
23		11.0					1.2	

Time: Local.

*Probably includes fEs observations.

Table 46*

Falkland Is. (51.7°S, 57.8°W)

January 1949

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	346	(9.2)					2.8	
01	342	(9.1)						
02	329	(9.0)					2.7	
03	334	(9.0)						2.4#
04	353	(9.1)		5.7#				2.5#
05	365	(9.4)	272	3.4#				
06	356	(10.5)	270	4.3	145#	2.4#		
07	336	(10.6)	249	4.7#	125			2.5#
08	358	(10.6)	248	5.2	117#	2.8		2.4
09	371	(10.5)	247#	5.6	117#			2.5
10	391	(10.4)	240#	5.6				2.5
11	393	(10.2)	250#	6.1#				2.4
12	347	(10.7)	250#	5.9#				2.5
13	362	10.5		5.8#				2.5
14	354	10.3	250#	5.7				2.5
15	352	9.4	250#	5.5				2.6
16	353	9.2	250#	5.3				2.6
17	352	8.8	254	5.3			5.3	2.6
18	329	(8.8)	253	4.9	120#		5.0	2.6#
19	311	(9.1)	250#			2.7#	4.6	
20	304	---					4.3	
21	318	---					4.2	
22	329	---					4.6	
23	348	---					4.2	

Time: Local.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

*Average values except f°F2 and fEs, which are median values.

#One or two observations only.

TABLE 47

Control Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA

National Bureau of Standards
(Institution)

Scaled by: E.J.W., J.J.S., B.E.B.
J.J.S., B.E.B., J.M.W.

hF2 (Characteristic) Km July 1949
(Unit) (Month)

Observed at Washington, D.C.

Calculated by: J.J.S., B.E.B., J.M.W.																								
75°W																								
Mean Time																								
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	2.80	2.80	2.70	2.80	2.70	2.80	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20
2	2.60	2.50	2.50	2.50	2.60	2.80	2.60	2.30	3.50	3.40	3.80	4.00	4.20	4.20	4.00	3.80	3.80	3.80	3.20	3.20	2.60	2.70	2.70	2.70
3	3.00	2.70	2.50	2.50	2.80	2.80	3.00	3.30	3.30	3.50	4.00	3.50	4.00	A	A	3.90	3.40	3.20	2.40	2.50	2.50	2.50	2.70	3.00
4	2.70	2.70	2.70	2.70	2.80	2.60	2.40	3.00	2.80	3.30	3.70	3.20	4.00	3.70	3.70	3.70	3.50	3.30	2.80	2.50	2.50	2.60	2.60	2.50
5	2.40	2.40	2.50	2.80	2.80	2.70	2.40	3.00	3.00	3.10	3.80	3.60	3.50	3.50	3.40	3.50	3.50	3.40	2.40	C	C	C	C	C
6	C	C	C	C	C	C	C	C	C	3.10	3.30	3.70	3.40	3.80	3.80	3.80	3.50	3.30	3.10	2.70	2.50	2.50	2.70	3.00
7	3.20	2.60	3.10	2.70	2.50	3.00	3.30	3.80	2.50	4.00	3.40	3.60	3.70	3.40	3.80	3.80	3.50	3.30	1.270	2.80	2.50	2.70	2.70	2.70
8	2.60	2.60	3.00	3.00	3.00	3.70	3.70	3.20	4.50	N	N	3.80	4.10	4.30	4.20	3.70	3.50	3.20	2.70	2.50	2.50	2.60	2.60	2.60
9	2.50	2.50	2.60	2.80	2.70	2.50	2.40	2.30	2.70	3.30	3.50	3.50	3.70	3.70	3.50	3.20	3.30	3.00	3.00	2.60	2.50	2.60	2.60	2.60
10	2.60	2.50	2.50	2.20	2.50	2.60	2.80	2.70	2.90	3.50	3.40	3.30	3.70	3.70	3.40	3.70	3.50	3.30	2.80	2.70	2.50	2.50	2.50	2.30
11	2.70	2.70	2.70	2.60	2.50	2.50	2.30	3.20	3.00	3.10	3.40	3.20	3.50	3.70	3.30	3.20	3.00	2.80	3.00	2.60	2.30	2.50	2.30	2.50
12	2.50	2.50	2.50	2.50	2.80	2.50	2.70	2.80	3.00	3.80	3.20	3.40	3.40	3.30	3.40	3.30	3.50	3.00	3.30	2.40	2.50	2.70	2.70	2.50
13	2.90	3.00	3.00	3.00	2.70	2.50	3.40	4.30	4.30	4.80	3.80	3.80	3.80	4.60	4.60	3.80	3.50	3.00	2.80	2.50	2.60	2.90	3.00	3.00
14	3.00	2.80	2.80	2.80	2.70	2.50	2.70	3.10	3.60	4.00	4.20	4.30	3.70	3.50	3.40	3.30	3.40	3.30	2.50	2.50	2.50	2.40	2.30	2.30
15	2.60	3.00	2.70	2.70	2.60	2.50	2.50	2.20	3.00	3.20	3.30	3.30	3.30	3.30	3.30	3.40	3.30	3.20	2.40	2.50	2.50	2.50	2.50	2.80
16	2.50	2.50	2.50	2.50	2.50	2.40	3.20	2.70	3.00	2.90	3.00	3.80	3.30	4.20	3.60	3.50	3.20	3.20	3.30	2.70	2.70	2.50	2.70	2.70
17	2.50	3.00	2.50	2.50	2.70	2.90	3.00	3.70	4.00	5.40	5.50	5.30	5.70	5.70	6.10	5.00	4.00	3.60	3.00	2.50	2.70	2.60	2.70	3.00
18	2.90	2.70	2.70	2.60	2.80	2.50	2.80	2.80	3.50	1.350	3.80	4.10	4.00	4.40	3.70	4.00	4.20	3.80	3.30	2.60	2.50	2.70	2.70	2.80
19	2.80	2.80	3.00	3.00	3.00	3.00	3.00	4.50	4.60	4.40	4.50	3.40	3.70	4.50	4.20	4.30	4.30	3.50	3.00	2.60	2.50	2.70	2.50	2.50
20	2.70	2.70	2.40	2.60	2.70	2.80	2.50	2.30	3.00	4.30	4.50	S	S	4.80	5.00	4.80	4.30	3.70	3.20	2.50	2.50	2.70	2.70	
21	2.50	3.30	3.00	2.50	2.30	2.50	2.50	2.00	2.80	3.60	3.50	3.00	3.10	4.10	4.20	4.00	3.70	3.00	3.00	2.40	2.60	2.60	2.70	2.70
22	2.70	2.70	2.60	2.50	2.70	2.80	3.70	3.50	4.00	3.50	3.80	3.70	3.50	4.30	4.10	3.60	3.40	3.30	3.20	2.50	2.70	2.70	3.00	3.00
23	3.00	2.80	2.70	2.70	2.80	2.90	3.60	3.20	4.20	4.30	3.50	3.50	3.60	3.70	3.80	4.00	3.40	3.50	3.00	2.60	2.70	2.70	2.70	2.70
24	2.80	2.80	3.00	2.80	2.80	3.00	2.40	3.30	4.30	3.80	3.70	4.60	4.00	4.30	3.80	3.30	3.50	3.30	2.70	2.50	2.50	2.60	2.60	3.30
25	2.70	2.80	2.80	2.90	2.80	2.80	3.70	3.80	4.10	4.70	5.00	4.50	4.50	4.50	4.50	4.50	4.00	3.80	3.00	2.50	2.50	2.50	2.50	3.10
26	3.00	2.60	3.00	2.80	2.80	2.50	2.50	2.50	3.20	4.50	4.80	4.30	4.80	4.20	4.50	4.50	4.00	3.60	3.30	2.50	2.60	2.70	2.70	2.70
27	2.60	2.50	2.50	2.30	2.80	2.90	2.90	3.30	3.50	3.70	4.20	4.40	4.20	4.10	4.10	4.00	4.00	3.80	3.10	2.60	2.50	2.50	2.50	2.50
28	2.70	2.70	2.80	2.50	2.60	2.80	2.40	2.80	3.00	3.80	3.60	C	D	4.60	4.50	4.10	4.00	3.70	2.70	2.50	2.50	2.60	2.60	3.00
29	3.00	2.50	2.60	2.70	2.70	2.80	3.70	3.20	3.50	3.50	3.50	4.50	4.30	4.50	4.30	4.20	3.70	3.50	2.80	2.70	2.60	2.50	2.50	2.80
30	2.60	2.60	2.70	2.50	2.50	2.90	2.50	3.10	3.30	3.50	3.80	3.70	3.60	3.90	3.50	3.50	3.30	3.30	2.80	2.50	2.50	2.60	2.60	2.80
31	2.70	2.90	2.80	2.50	2.50	2.70	2.50	2.80	2.80	3.20	3.50	3.50	3.50	3.30	3.60	3.50	3.80	3.00	2.70	2.50	2.40	2.50	2.50	2.80
Median	2.70	2.70	2.70	2.65	2.70	2.80	2.75	3.10	3.40	3.55	3.70	3.70	3.70	4.10	3.85	3.90	3.50	3.30	3.00	2.50	2.50	2.50	2.60	2.70
Count	30	30	30	30	30	30	30	30	30	30	30	29	29	30	30	31	31	31	31	30	2.50	2.50	2.60	30

Sweep I.O. Mc to 250 Mc in 0.25 min

Manual ☐ Automatic ☒

* SUPPLEMENTARY DATA FROM FT. BELVOIR,

LAT. 38.7°N, LONG. 77.1°W

TABLE 48

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA

National Bureau of Standards
(Institution)
Scaled by: E.J.W., B.E.B., J.J.S.
Calculated by: J.J.S., B.E.B., J.M.W.

Form adopted June 1946

foF2 (Characteristic) Mc (Unit) July 1949
Observed at Washington, D.C.
Lat. 39.0°N, Long. 77.5°W

JJS, BEB, JMW																								
Calculated by:																								
75°W																								
Mean Time																								
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	*6.6	*6.4	*5.8	*5.3	*4.9	*4.8	*5.4	*6.0	*7.0	7.2	7.4	7.4	7.8	(7.4) ³	7.4	7.5	7.7	7.9	8.1	8.0	8.0	(7.7) ³	8.0	7.6
2	7.2	7.1	6.5	6.1	5.7	5.4	6.5	6.5	7.0	7.1	7.5	7.3	(7.2) ³	7.3	(7.4) ³	7.2	7.2	7.5	7.7	7.9	7.9	7.7	7.3	6.9
3	6.7	6.7	6.5	5.5	5.0	5.2	6.2	6.9	(7.2) ³	(7.1) ³	7.5	(7.6) ³	(7.3) ³	7.4	(7.6) ³	(7.8) ³	7.9	7.9	7.5	7.6	8.0	7.7	(7.4) ³	7.0
4	7.0	6.8	6.5	6.1	5.4	5.8	6.6	7.3	7.3	(7.2) ³	7.3	(7.1) ³	7.2	7.4	(7.7) ³	7.6	(7.5) ³	7.7	7.4	7.5	7.3	(7.7) ³	7.7	7.8
5	(6.9) ³	5.9	5.5	5.3	5.2	5.6	6.3	7.3	7.4	7.1	7.1	7.5	(7.8) ³	7.9	(7.8) ³	7.5	7.2	7.3	C	C	C	C	C	C
6	C	C	C	C	C	C	C	C	C	(7.1) ³	(7.3) ³	(7.0) ³	7.0	6.8	(7.0) ³	7.1	(7.0) ³	7.0	7.2	7.6	7.5	(7.5) ³	(7.0) ³	6.9
7	6.7	6.5	5.9	5.6	5.3	5.4	6.0	6.9	7.4	(7.5) ³	7.9	8.2	7.9	7.9	(7.1) ³	7.0	7.2	7.3	7.3	7.5	(8.3) ³	7.1	7.1	6.9
8	6.3	5.8	5.3	5.0	4.2	4.2	4.9	5.5	(5.7) ³	(5.8) ³	5.8	6.8	6.3	(6.0) ³	(6.4) ³	6.7	6.6	6.9	7.0	[7.0] ³	7.1	6.9	6.7	6.6
9	6.2	5.9	5.3	4.4	4.2	4.0	5.3	5.7	6.5	7.1	7.7	7.0	(6.7) ³	(6.9) ³	7.4	7.4	7.2	6.9	7.1	7.2	7.2	7.3	6.9	7.2
10	6.3	6.4	5.6	5.4	4.5	4.5	5.5	5.9	6.4	6.8	7.4	7.3	7.3	7.0	(6.8) ³	6.9	7.0	7.3	(7.6) ³	7.8	8.1	7.5	6.7	6.9
11	6.8	5.9	5.6	5.7	5.5	5.3	5.4	6.0	6.8	7.8	8.0	8.4	7.7	7.6	8.1	7.9	8.3	(7.9) ³	8.2	8.1	8.6	7.5	7.1	6.1
12	(5.6) ³	5.0	5.0	4.5	3.7	4.2	4.2	5.0	6.9	6.9	(7.2) ³	(7.5) ³	(8.1) ³	8.0	7.8	7.1	7.4	(6.9) ³	6.8	7.2	(7.1) ³	6.9	6.7	6.5
13	6.5	5.2	5.2	4.9	4.7	4.5	4.4	5.0	5.3	5.5	5.9	5.4	6.7	6.5	6.5	6.5	6.6	6.9	6.5	6.1	6.1	(6.2) ³	6.9	(6.0) ³
14	5.3	5.0	4.9	3.9	3.9	4.0	5.3	5.6	5.9	(5.9) ³	6.1	(6.2) ³	6.3	6.7	6.7	(7.0) ³	7.0	7.1	7.1	6.9	7.6	7.9	7.5	6.4
15	5.8	5.3	5.4	5.1	4.7	4.8	6.1	6.5	7.7	7.3	8.2	8.3	8.5	8.3	7.9	7.9	7.9	8.0	8.1	8.0	(8.0) ³	7.4	7.3	7.0
16	6.7	5.9	5.7	5.3	4.8	4.6	5.8	6.7	7.3	7.1	7.1	(7.6) ³	8.0	7.8	8.7	8.9	8.5	8.2	8.0	7.7	8.0	(7.0) ³	6.4	6.8
17	6.5	6.4	5.8	4.9	3.7	4.2	5.1	6.0	5.5	(5.5) ³	5.4	5.6	(5.3) ³	5.6	5.7	5.8	5.8	6.0	6.1	6.1	5.9	6.0	5.9	5.6
18	5.4	5.0	4.8	4.5	(4.1) ³	(4.7) ³	6.3	6.9	7.0	7.8	6.5	6.9	6.9	6.5	6.9	6.7	6.6	6.9	7.4	(7.7) ³	7.0	7.1	6.9	6.4
19	5.9	5.3	5.3	4.9	4.2	3.8	4.7	4.9	5.5	(6.0) ³	6.3	7.1	(6.2) ³	6.2	6.5	(6.2) ³	6.3	6.8	*6.9	(7.2) ³	[7.2] ³	6.8	6.6	6.7
20	5.0	5.3	4.7	4.4	*4.1	(4.5) ³	*5.4	*5.1	5.2	5.8	5.7	(5.4) ³	(5.8) ³	5.9	5.6	5.9	6.2	6.5	6.7	6.8	6.9	6.7	6.5	6.2
21	5.8	(5.7) ³	(5.3) ³	5.3	4.7	4.5	6.1	6.1	(6.5) ³	7.3	7.4	(7.1) ³	(7.0) ³	6.7	(6.8) ³	7.1	7.3	7.4	7.7	7.8	(7.7) ³	7.1	6.7	6.5
22	6.2	5.8	5.2	5.1	4.0	4.0	4.8	5.3	5.8	(6.7) ³	6.8	6.8	(6.2) ³	7.1	7.3	7.9	(7.9) ³	7.3	7.5	7.9	7.5	7.2	6.8	6.5
23	6.6	[6.4] ³	6.0	5.2	4.7	4.6	5.3	5.7	6.0	6.6	7.0	(7.7) ³	(7.4) ³	6.7	(6.9) ³	6.9	6.8	7.0	7.5	7.9	7.9	7.4	7.1	6.6
24	6.6	5.7	5.8	5.3	4.9	4.6	5.5	5.9	6.6	(7.0) ³	(6.7) ³	6.9	7.3	7.0	(7.4) ³	7.3	7.3	6.9	7.1	6.9	7.0	7.1	6.7	6.8
25	6.4	6.0	5.8	5.4	5.5	4.6	5.1	5.8	6.0	6.0	(6.4) ³	6.5	6.5	(6.5) ³	(6.5) ³	6.6	6.7	6.8	6.9	6.8	7.2	7.1	6.6	6.5
26	6.1	5.7	5.3	5.0	4.9	4.9	5.7	5.9	(6.1) ³	6.2	6.3	6.5	6.4	6.7	(6.3) ³	6.7	6.7	6.7	6.8	6.8	6.9	6.9	6.7	6.6
27	6.6	6.1	5.6	4.8	4.2	4.3	5.6	6.5	6.5	6.5	[6.2] ³	6.8	6.7	(6.7) ³	6.6	6.7	6.8	6.9	7.1	7.0	7.5	7.3	6.9	6.1
28	5.9	5.5	5.5	5.2	4.3	4.6	6.1	6.7	6.6	6.9	6.7	C	B	6.9	7.0	7.0	7.0	(6.8) ³	7.1	7.3	7.0	6.9	6.7	6.7
29	6.5	6.4	6.2	5.3	4.9	4.7	5.3	6.2	6.9	7.3	7.3	6.5	6.8	6.9	6.8	6.9	6.8	6.5	6.6	6.9	7.3	7.2	6.9	6.8
30	6.5	6.5	6.2	6.0	5.1	4.7	5.6	6.6	7.1	(7.0) ³	7.1	(7.4) ³	7.9	[8.4] ³	8.1	7.9	7.8	7.6	7.7	7.3	(7.6) ³	7.5	7.0	6.7
31	6.6	6.4	6.1	6.0	5.3	5.1	6.2	(7.0) ³	7.7	7.9	8.6	[8.6] ³	8.8	8.7	8.5	8.5	8.2	8.4	(8.3) ³	(8.4) ³	8.6	7.7	6.9	6.7
Median	6.5	5.9	5.6	5.2	4.7	4.6	5.6	6.0	6.6	7.0	7.1	7.1	6.9	7.0	7.1	7.1	7.2	7.0	7.2	7.4	7.5	7.2	6.9	6.7
Count	30	30	30	30	30	30	30	30	30	31	31	30	30	31	31	31	31	31	31	30	30	30	30	30

* SUPPLEMENTARY DATA FROM FT. BELVOIR,
LAT. 38.7°N, LONG. 77.1°W.Sweep 1.0 - Mc to 25.0 - Mc in 0.25 min
Manual ☐ Automatic ☒

U. S. GOVERNMENT PRINTING OFFICE: 1946 O - 128119

TABLE 49

Control Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

foF₂ (Characteristics) Mc July 1949
Observed at Washington, D. C.

IONOSPHERIC DATA

National Bureau of Standards
Scaled by: E.J.W., J.J.S. (Institution)
Calculated by: J.J.S., B.E.B., J.M.W.

Lat. 39.0°N , Long. 77.5°W		75°W															Mean Time															Calculated by: J.J.S., B.E.B., J.M.W.				
		0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330											
Day		0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330											
1		6.4	6.0	5.5	5.0	4.6	5.2	5.6	6.5	7.0	7.6	7.2	7.4	7.7	(7.4)	7.6	7.7	7.8	8.0	8.1	7.8	8.1	7.8	7.7	(7.6)											
2		7.2	6.6	6.2	6.0	5.4	5.8	6.5	6.8	7.3	7.4	7.2	(7.5)	7.2	(7.3)	7.2	7.1	7.7	7.7	7.9	7.9	7.8	7.5	6.9	6.9											
3		6.7	6.4	(6.0)	5.3	4.9	5.8	6.6	6.8	(7.3)	7.1	7.6	(7.5)	7.3	7.7	7.7	7.8	7.7	8.0	(7.7)	7.7	8.0	7.6	7.0	7.0											
4		6.6	6.6	6.4	5.7	5.5	6.4	7.0	(7.8)	7.4	7.1	7.2	(7.1)	(7.3)	(7.6)	(7.4)	7.6	7.7	7.8	7.7	7.2	(7.7)	7.7	7.7	7.2											
5		6.4	5.8	5.3	5.2	5.1	5.9	(6.8)	7.2	(7.2)	(7.4)	7.6	(7.6)	8.0	(7.8)	7.4	(7.2)	7.0	7.2	C	C	C	C	C	C											
6		C	C	C	C	C	C	C	C	(7.0)	7.5	7.1	7.1	(6.9)	(7.0)	7.2	(7.0)	7.0	7.2	7.4	7.3	(7.5)	(7.4)	6.7	6.5											
7		6.6	6.3	6.9	5.6	5.2	5.8	(6.1)	(7.2)	7.4	(7.5)	7.6	7.6	8.1	(7.2)	(7.1)	7.1	7.2	(7.2)	(7.3)	7.9	(7.0)	(7.1)	6.5	6.5											
8		6.1	5.5	5.1	4.7	4.0	4.3	5.3	(5.9)	6.0	(5.9)	5.9	5.9	6.2	6.1	6.5	6.7	(6.9)	6.9	7.0	(6.9)	7.0	6.7	6.7	6.6											
9		5.9	5.5	4.5	4.5	(3.7)	4.9	5.4	6.9	7.0	7.6	7.5	(6.8)	7.0	7.5	7.5	(7.3)	(7.0)	7.0	7.1	(7.1)	(7.2)	7.0	6.8	6.6											
10		6.5	5.8	5.2	(4.9)	4.6	5.3	5.7	6.0	6.6	(7.1)	7.4	7.1	(6.8)	(6.9)	6.8	7.3	7.2	7.5	7.6	7.9	7.9	7.5	6.9	7.1											
11		6.6	5.7	5.7	5.7	5.3	5.4	5.6	6.3	(7.0)	8.0	8.2	(7.8)	7.5	(7.8)	8.1	8.1	(8.0)	(7.9)	8.0	8.2	(7.8)	7.4	6.5	5.8											
12		5.3	5.1	4.7	(4.5)	3.7	(5.1)	(5.8)	6.8	6.7	(7.4)	7.4	8.1	8.1	7.5	7.4	7.0	7.0	6.9	7.1	6.9	(7.1)	7.0	6.7	6.7											
13		5.5	5.0	5.0	4.9	4.5	4.5	4.7	5.2	5.4	5.7	5.6	5.9	(6.8)	5.9	6.7	6.6	6.8	6.7	6.6	(6.3)	(7.0)	(7.1)	(5.9)	(5.7)											
14		5.3	4.9	4.6	4.2	3.7	4.5	5.3	6.5	(5.9)	6.1	(6.2)	6.2	6.7	6.7	6.9	7.0	(7.1)	(7.0)	(7.0)	7.3	7.9	8.2	6.9	5.9											
15		5.4	5.3	5.2	4.8	4.5	5.6	6.6	7.3	7.2	8.3	8.3	8.3	8.8	8.2	(7.8)	7.9	8.0	(7.9)	8.4	7.8	7.9	7.4	6.9	6.8											
16		6.2	6.7	(5.7)	5.0	4.6	4.9	6.5	7.2	7.6	6.9	(7.0)	8.0	7.3	8.2	9.0	8.9	8.3	8.0	7.9	7.9	7.8	6.7	6.6	6.9											
17		6.5	6.3	5.2	4.3	3.8	4.7	5.3	(5.8)	5.2	(5.6)	5.6	(5.6)	(6.8)	6.8	7.0	6.9	6.6	6.9	7.7	7.5	7.2	7.0	6.6	6.0											
18		5.2	4.9	4.6	4.6	4.0	5.5	6.5	6.7	7.9	7.1	(6.8)	(6.8)	(6.8)	6.8	6.8	6.9	6.4	6.9	7.7	7.3	7.2	7.0	6.6	6.0											
19		5.7	5.5	4.9	4.7	3.7	4.3	4.5	5.0	(5.6)	(6.0)	(6.3)	(6.2)	(6.3)	(6.1)	(6.3)	6.2	6.7	6.7	* 7.2	* 7.3	6.9	6.6	* 6.5	(5.8)											
20		5.5	5.2	(4.4)	4.2	* 3.9	* 4.9	* 5.2	(5.0)	* 5.4	6.0	(5.3)	(5.4)	6.0	6.1	5.9	5.9	6.3	6.6	6.8	6.7	6.9	6.7	6.4	(6.0)											
21		(5.4)	(5.0)	5.4	5.1	3.9	5.0	6.1	6.7	6.8	7.8	(7.5)	7.2	6.7	6.3	6.9	7.1	7.3	7.7	(7.5)	(7.5)	7.2	7.0	6.7	6.3											
22		5.9	5.8	5.4	4.8	4.1	4.3	5.3	5.4	6.1	6.5	6.9	6.5	6.9	7.2	7.6	7.7	7.8	7.3	7.6	7.5	7.1	6.9	6.6	6.3											
23		6.3	(6.5)	(5.6)	(5.0)	(4.6)	4.9	(5.5)	(5.8)	(6.3)	(6.2)	(7.4)	7.2	7.1	(6.9)	6.8	(6.9)	6.9	7.2	7.8	7.6	7.9	7.3	6.9	6.1											
24		5.9	5.9	5.5	5.2	4.8	5.0	5.8	6.3	6.7	(6.6)	(6.7)	(6.7)	(7.2)	7.2	7.6	7.3	7.1	6.9	6.9	7.0	7.1	6.9	6.7	6.7											
25		6.3	6.1	5.3	5.0	5.1	4.7	5.2	(5.9)	(6.0)	(6.4)	(6.4)	6.3	(6.4)	6.5	6.6	6.5	6.9	6.9	6.9	7.1	(7.0)	6.6	(6.5)	6.5											
26		6.0	5.3	6.1	4.9	4.8	5.2	5.7	6.1	6.4	(6.0)	6.7	6.8	(6.0)	6.9	6.6	6.8	6.7	6.7	6.9	6.8	6.8	6.9	6.7	6.7											
27		6.5	5.8	4.9	(4.6)	4.0	4.9	6.1	6.5	(6.5)	6.6	6.7	(6.6)	6.7	6.8	6.6	6.7	7.0	(7.0)	(7.2)	7.5	7.4	7.2	6.7	5.9											
28		5.7	5.4	5.3	4.9	4.5	5.3	6.7	7.0	6.6	6.9	C	C	C	B	6.7	6.7	6.9	6.9	(7.2)	7.1	6.9	6.8	6.8	6.6											
29		6.5	6.3	5.9	5.0	4.7	4.8	5.9	6.9	6.8	(7.1)	6.8	(6.6)	7.0	7.1	6.8	6.9	(6.7)	6.9	6.9	7.0	7.5	(7.5)	6.9	6.9											
30		6.7	6.3	6.7	5.5	4.6	5.2	6.1	6.8	(7.1)	7.3	(7.3)	(7.7)	7.9	(8.2)	(7.9)	7.9	7.5	7.8	7.4	7.4	(7.5)	7.3	6.8	6.8											
31		6.6	6.4	6.2	5.9	5.4	5.5	6.7	7.4	7.6	8.6	(8.6)	8.5	8.6	8.8	8.5	8.1	9.0	(8.5)	8.4	8.5	8.1	7.1	6.7	6.6											
Median		6.2	5.8	5.3	5.0	4.6	5.0	5.8	6.6	6.8	7.1	7.2	7.1	7.0	7.2	7.1	7.1	7.0	7.2	7.4	7.4	7.4	7.1	6.7	6.6											
Count		30	30	30	30	30	30	30	30	31	31	30	30	30	30	31	31	31	31	34	30	30	30	30	30											

* SUPPLEMENTARY DATA FROM FT. BELVOIR,
LAT. 38.7°N, LAT. 77.1°W.

Sweep, I.O. Mc to 25.0 Mc in 0.25 min
Manual ☐ Automatic ☒

TABLE 50

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA

Form adopted June 1946

National Bureau of Standards
(Institution)

Scaled by: E.J.W., J.J.S., B.E.B.
Calculated by: J.J.S., B.E.B., J.M.W.

h_fl (Characteristic) Km (Unit) July 1949
Observed at Washington, D.C.

Lat 39.0°N, Long 77.5°W

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1							2.40	2.20 ^A	2.20 ^A	2.20 ^A	2.10 ^M	S	2.00	2.50	2.10	2.10	(2.30) ^A	2.30	2.40 ^M					
2							Q	Q	2.20	2.50	2.10	2.10	(2.30) ^S	2.00	2.30	2.30	2.10	2.20	2.40					
3							Q	(2.40) ^A	(2.20) ^A	2.30	A	A	(2.50) ^A	A	A	2.30	A	(2.30) ^A	Q					
4							Q	2.20	2.00	A	(2.20) ^A	(2.20) ^S	(2.10) ^M	2.00	2.00	2.20 ^M	2.00	2.10	(2.30) ^A					
5							Q	A	(2.30) ^S	2.00	2.30	2.00	2.20	2.00	A	2.00 ^M	2.00	2.20	Q					
6							C	A	Q	A	(2.20) ^A	2.00	2.00	2.30	2.00	2.30	(2.30) ^A	2.10	2.30					
7							2.30	2.40	A	2.00	2.00 ^M	A	A	(2.20) ^A	2.10	2.00	2.00	2.30	Q					
8							2.80	2.30	(2.50) ^A	2.00	2.00	2.00	(2.20) ^S	(2.40) ^S	2.30	2.10	A	A	Q					
9							Q	Q	2.00	2.00	2.00	2.40	2.30	(2.20) ^A	(2.20) ^A	2.00	2.20	2.30	2.30					
10							(2.30) ^A	2.00	(2.30) ^A	2.00 ^F	A	A	A	2.20	2.00	2.10	2.10	A	(2.30) ^A					
11							Q	A	2.30	A	A	A	A	A	A	A	(2.30) ^A	A	2.10					
12							Q	A	A	A	S	(2.50) ^S	2.40	A	A	2.20	2.40	2.20	2.20					
13							2.20	2.30	(2.30) ^A	(2.50) ^A	A	2.30	A	2.00	2.00	A	(2.50) ^A	2.20	2.20					
14							Q	A	(2.20) ^A	2.20	(2.20) ^A	C	2.30	(2.50) ^A	(2.20) ^A	C	2.50	2.10	2.00					
15							Q	Q	A	A	A	A	(2.20) ^A	2.00	2.20	2.00	A	(2.30) ^A	Q					
16							2.40	(2.30) ^A	2.50	2.00	A	(2.30) ^A	2.30 ^M	2.10	2.30	2.40	2.20	2.20	2.50					
17							Q	2.30 ^K	2.10 ^K	1.80 ^K	2.00 ^K	2.30 ^K	2.60 ^K	1.80 ^K	(2.40) ^S	2.30 ^M	2.20 ^K	2.30 ^K	A					
18							Q	Q	A	A	A	(2.30) ^A	A	S	2.10	2.40	2.10	2.30	A					
19							2.50	2.00	2.00	2.00	2.00	2.20	2.30	2.20	2.10	C	2.00	2.60	A					
20							*Q	*Q	A	1.90 ^K	2.00 ^K	1.90 ^K	2.00 ^K	2.50 ^K	2.10 ^K	2.20 ^K	2.20	2.20	A					
21							Q	Q	2.00	2.40	2.30 ^M	(2.20) ^M	(2.30) ^M	2.00	2.00	2.20	2.00 ^M	2.20	2.00 ^M					
22							(2.40) ^A	(2.50) ^A	2.20	2.10	A	A	2.00	2.10	2.30	A	A	A	(2.20) ^A					
23							(2.40) ^A	2.30	2.20	(2.20) ^A	2.00	A	2.30	C	2.20	2.00	2.10	2.20	2.40					
24							Q	2.30	(2.30) ^A	2.00	2.30	2.00	2.20	A	(2.20) ^S	2.00	2.30	2.30	2.30					
25							2.30	2.30	2.20	2.00	2.10	2.40	2.00	B	(2.50) ^S	2.50	2.00	2.30 ^M	A					
26							Q	2.10	A	2.00	2.00	2.10	2.30	2.20	2.10	2.30	2.30	A	A					
27							A	2.30	2.30	2.00	A	2.10	1.90	2.20	2.00	2.30	A	A	A					
28							Q	2.30	2.20 ^M	2.00	N	C	B	2.40	2.10	2.50	2.30	2.30	2.50					
29							2.40	A	(2.30) ^A	(2.00) ^A	S	(2.50) ^P	2.00	2.00	2.50	2.00	A	(2.60) ^A	A					
30							Q	2.50	A	A	2.50	2.20	S	2.10	2.00	2.10	(2.50) ^S	2.20	2.30					
31							Q	2.30	2.30	A	A	B	B	2.20	B	2.20	2.20	2.20	2.30					
Median							—	2.40	2.30	2.20	2.10	2.20	2.30	2.20	2.20	2.20	2.20	2.25	2.30					
Count							1	11	19	22	23	18	19	23	25	26	26	25	24	19				

* SUPPLEMENTARY DATA FROM FT. BELVOIR,
LAT 38.7°N, LONG 77.1°W

Sweep 1.0 Mc to 25.0 Mc in 0.25 min
Manual ☐ Automatic ☒

TABLE 51

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA

National Bureau of Standards
(Institution)
Scaled by: E.J.W., J.J.S., B.E.B.
Calculated by: J.J.S., B.E.B., J.M.W.foF₁ _____ Mc _____ July _____, 1949
(Characteristic) (Unit) (Month)

Observed at Washington, D.C.

Lat 39.0°N Long 77.5°W

75°W Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1							*3.7	*4.7	*4.8	5.1	5.3	(5.4) ^s	5.5	5.6	5.5	5.3	5.3	L	L					
2							Q	Q	4.9	5.3	5.3	5.6	5.8	5.8	5.6	5.2	4.9	4.3	L					
3							Q	4.7	4.9 ^m	5.3	5.8	5.4	5.6	A	A	L	4.9	4.9	Q					
4							Q	4.3	L	A	5.4	(5.4) ^s	5.3	5.3	5.3 ^m	5.2	5.1	4.3	L					
5							Q	L	A	4.9	5.5	5.3	5.4	4.9	4.9	4.8	4.9	L	Q					
6							C	C	C	4.9	5.0	5.3	5.0	(4.8) ^p	5.0	4.9 ^f	4.9	4.3	Q					
7							4.3	4.8	[4.8] ^a	4.7	4.9	[5.0] ^a	5.2	5.3	5.3	(5.0) ^s	4.8	4.7	Q					
8						2.7	3.5	4.3	(4.5) ^p	4.9	4.9	(5.2) ^p	5.1	5.2	4.9 ^m	5.0	A	A	Q					
9							Q	Q	5.3	4.9	4.9	5.0	(5.1) ^s	5.1	5.0	4.9	4.8	L	L					
10							L	4.1	L	4.7	A	A	A	5.2	(4.9) ^s	4.6	4.9	A	L					
11							Q	L	4.5	4.7	A	A	A	A	A	4.9	(4.5) ^p	3.9						
12							Q	A	4.6	5.3	A	S	5.2	5.0	5.0	4.7	4.9 ^m	L	L					
13							3.9 ^f	4.1	4.3	4.7	[4.8] ^a	4.9	(4.9) ^s	4.9	5.1	(5.0) ^a	4.9	4.4	L					
14							Q	A	4.5	4.9	5.0	(5.0) ^c	4.9	5.2	4.9	[5.1] ^c	4.8	4.5	3.2					
15							Q	Q	A	(4.9) ^m	5.1	[5.2] ^a	5.3	5.3	4.9	4.9	[4.2] ^m	4.4	Q					
16							L	4.5	4.9	L	A	5.3	5.5	5.1	5.0	5.3	4.9	4.5	3.9					
17							Q	4.4 ^k	4.9 ^k	4.7 ^m	5.0 ^k	5.0 ^k	4.9 ^k	4.9 ^k	4.9 ^k	4.9 ^k	4.5 ^k	3.9 ^k	3.9 ^k					
18							Q	Q	A	A	A	5.4	[5.3] ^a	5.2	5.4	5.0	5.0	4.8	A					
19							3.6	4.3	(4.3) ^s	4.9	5.1 ^m	5.1	4.9	5.3	5.2	[5.0] ^c	4.9 ^m	4.8	*A					
20							*Q	*Q	4.5 ^k	4.8 ^k	5.0 ^k	5.1 ^k	4.9 ^k	(5.2) ^p	5.1 ^k	5.0 ^k	4.9 ^k	4.7	(4.3) ^p					
21							Q	Q	L	(5.3) ^p	5.5	5.2 ^m	5.5	5.5	5.7	5.4 ^m	5.2 ^m	4.7	L					
22							4.0	4.5	4.8	5.1	(5.1) ^s	5.3	5.5	5.3	5.3	(5.2) ^p	A	A	4.6					
23							L	4.3	4.7	5.4	5.2 ^m	(5.1) ^p	5.5	[5.5] ^c	5.5	5.0	4.9	4.9	L					
24							Q	4.5	5.3	4.9 ^m	5.2 ^m	(5.1) ^p	5.4	(5.6) ^p	5.3	5.3	5.0	(5.0) ^p	L					
25							(4.2) ^p	4.4	(4.0) ^s	5.1	5.2	5.3	(5.0) ^s	[5.0] ^b	5.1	5.4	4.9	4.8	L					
26							Q	L	A	5.1	(5.0) ^p	5.0	5.4	5.5	5.3	4.9	5.1	4.9	A					
27							L	4.5	4.9	4.9	[5.0] ^a	5.1	5.3	5.3	5.1	5.0	A	A	A					
28							Q	4.6	(5.0) ^p	5.2	N	C	B	5.2	5.3	5.0	5.1	4.7	L					
29							L	4.5	4.9	5.0	5.3	5.4	5.3	5.5	5.3	(5.3) ^p	[5.1] ^a	4.9	A					
30							Q	L	5.0	5.5	5.2	5.3	[5.2] ^s	[5.2] ^p	5.3	5.3	5.0	4.8	(4.3) ^s					
31							Q	L	L	5.1	A	B	B	5.3	[5.2] ^b	5.4	4.9 ^y	4.2	L					
Median							3.9	4.5	4.8	4.9	5.1	5.2	5.3	5.2	5.2	5.0	4.9	4.7	4.3					
Count							1	7	17	22	24	26	27	29	29	29	28	23	7					

Sweep J.O. Mc to 23.0 Mc in 0.55 min

Manual ☐ Automatic ☒* SUPPLEMENTARY DATA FROM FT. BELVOIR,
LAT. 36.7°N, LONG. 77.1°W.

TABLE 52
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Form adopted June 1946

h'E (Characteristic) Km (Unit)

July 1949

Washington, D. C.

Lat. 39.0°N, Long. 77.5°W

IONOSPHERIC DATA

National Bureau of Standards

(Institution)

Scaled by: E.J.W., J.J.S., B.E.B.

Observed at

Washington, D. C.

Lat. 39.0°N, Long. 77.5°W

Calculated by: J.J.S., B.E.B., J.M.W.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1							110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
2							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
3							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
4							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
5							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
6							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
7							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
8							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
9							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
11							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
12							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
13							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
14							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
15							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
16							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
17							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
18							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
19							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
20							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
21							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
22							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
23							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
24							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
25							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
26							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
27							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
28							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
29							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
30							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
31							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Median							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Count							110	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

U. S. GOVERNMENT PRINTING OFFICE: 1946 O - 12831

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

Manual ☐ Automatic ☐

* SUPPLEMENTARY DATA FROM FT. BELVOIR,

LAT. 38.7°N, LONG. 77.1°W.

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

TABLE 53

IONOSPHERIC DATA

foE _____, Mc _____, July _____, 1949
(Characteristic) (Unit) (Month)

Observed at Washington, D.C.

National Bureau of Standards
(Institution)

Scaled by: E.J.W., J.J.S., B.E.B.

Calculated by: J.J.S., B.E.B., J.M.W.

75°W Mean Time

Lat. 39.0°N, Long. 77.5°W

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1						*26	*28	*34	3.7	(37) ^A	(38) ^A	(38) ^P	(37) ^A	(36) ^A	(36) ^A	A	A	A	2.7	2.0 ^H				
2						26 ^H	31	3.3 ^H	3.6	[38] ^A	(40) ^A	(37) ^P	[38] ^A	3.8	3.6	3.7 ^H	3.1	A	1.9					
3						A	A	(35) ^A	(37) ^A	(38) ^P	(38) ^P	4.0	4.0	4.0	4.0	3.6	3.4	(31) ^A	A	A				
4						2.5	(30) ^A	(32) ^A	A	A	A	4.0	4.0	3.9	3.8	(35) ^A	3.2	A						
5						2.3 ^H	3.0	3.3	3.5	3.6	3.6	(38) ^P	(37) ^S	A	A	3.3	3.1	(25) ^S	C					
6						C	C	C	3.3	3.5	A	A	A	(37) ^A	3.7	(35) ^A	[30] ^A	2.5						
7						(23) ^A	2.8	3.1	3.3	3.4	A	A	A	A	(34) ^S	3.4	3.1	2.5						
8						(22) ^A	2.8	3.1	[34] ^A	3.7	A	A	A	(37) ^A	3.5	3.3	2.9	(25) ^A						
9						2.2	(27) ^A	3.1	3.2	(35) ^A	3.6	(37) ^P	A	A	A	A	A	(31) ^A	2.5	2.0 ^F				
10						2.3	2.9	A	A	A	A	A	(37) ^A	3.8	3.5	3.3	[29] ^A	2.5						
11						2.3	2.7	3.1	3.2	(34) ^A	(36) ^A	(38) ^A	3.7	3.7	3.7	3.2	3.1	A	A					
12						2.1	(27) ^A	3.1	3.3	(33) ^A	(37) ^P	3.7	[38] ^A	3.9	3.5	3.3	3.1	2.5	1.9					
13						2.3 ^F	A	A	A	A	A	3.7	[35] ^A	3.3	[33] ^A	3.3	(29) ^A	2.6	2.1 ^F					
14						2.3	2.8	3.1	3.4	3.5	[35] ^C	3.5	3.4	3.4	[35] ^C	3.3	3.1	2.5						
15						1.8	2.3	2.9	3.1	(33) ^A	(34) ^A	A	A	A	A	3.6	[33] ^A	(30) ^A	2.6	1.8				
16						2.4	[28] ^A	3.3	3.4	3.5	3.6	[37] ^A	3.8	(36) ^A	(35) ^A	A	A	2.7 ^H	1.9					
17						2.1	2.8 ^K	3.1 ^K	3.6 ^K	3.7 ^K	A ^K	A ^K	A ^K	3.9 ^K	3.7 ^K	3.3 ^K	3.0 ^K	2.5 ^K						
18						2.1	2.7	3.1	(32) ^A	A	A	A	A	A	A	3.7	3.5	3.2	2.6					
19						1.8	A	A	(34) ^A	(37) ^P	[38] ^A	3.9	(39) ^S	(39) ^S	[37] ^C	3.5	(31) ^A	(25) ^A						
20						* (23) ^A	[27] ^A	3.1 ^K	A ^K	A ^P	(39) ^A	(39) ^S	A ^K	A ^K	3.9 ^K	(35) ^A	3.1	A						
21						2.2	(31) ^A	3.5	3.7	(37) ^P	4.0	[40] ^A	4.1	3.9	3.9	3.6	3.2	2.7						
22						2.4	[28] ^A	3.2	[34] ^A	3.7	(37) ^P	3.9	[39] ^A	3.9	[37] ^A	(35) ^P	3.2	A						
23						2.5 ^H	2.9	3.5	3.3	3.7	(37) ^P	[37] ^A	(37) ^C	A	A	A	3.5	3.1	2.7	A				
24						A	2.7	A	A	A	A	3.9	A	A	A	3.8	3.5	3.1	2.7					
25						2.4	3.1	(33) ^P	A	A	A	A	B	3.8	3.8	3.5	3.2	2.5						
26						2.5	2.9	3.1	[34] ^A	3.7	S	S	4.1	4.0	3.8	3.6	3.2	2.5						
27						A	A	3.2	A	A	A	A	4.1	3.9	3.9	3.6	3.1	(25) ^A						
28						2.5	(31) ^A	(34) ^A	A	C	B	A	A	A	4.0	3.7	3.2 ^H	2.7						
29						2.4 ^H	3.0	3.2	3.4	3.7	(41) ^A	[40] ^A	3.9	4.0	3.8	3.5	3.2	(25) ^H						
30						A	3.0	3.3	3.7	3.9	(39) ^S	3.8	[38] ^S	3.7	3.7	3.5	[32] ^A	(28) ^A						
31						2.5 ^H	3.1	3.5	3.5	3.9	B	B	(41) ^A	[40] ^B	(39) ^A	[35] ^A	3.1	2.6	1.9					
Median						2.3	2.8	3.2	3.4	3.7	(3.8)	(3.8)	(3.8)	3.8	3.7	3.5	3.1	2.5	1.9					
Count						2	25	26	25	23	22	16	19	20	22	28	28	29	25	8				

Sweep I.O. Mc to 25.0 Mc in 0.25 min

Manual ☐ Automatic ☒

* SUPPLEMENTARY DATA FROM FT. BELVOIR
LAT. 36.7°N, LONG. 77.1°W.

TABLE 50

IONOSPHERIC DATA

National Bureau of Standards

(Institution)

Scaled by: E.J.W., J.J.S., B.E.B.

Observed at Washington, D.C.

July 1949

Lat. 39.0°N, Long. 77.5°W

Calculated by: J.J.S. B.E.B., J.M.W.																									
75°W																									
Mean Time																									
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	C	2.1/120	2.8/110	G	3.9/100	3.5/110	C	C	C	4.9/120	4.4/120	3.7/110	4.3/110	4.1/110	4.0/120	4.4/110	4.0/100	4.1/120	3.4/130	3.2/120	3.4/120	3.1/120	3.4/110		
2	C	4.6/110	6.6/110	6.8/110	7.8/110	7.0/100	7.4/100	8.0/100	5.4/110	6.5/110	5.4/120	6.2/120	6.0/130	5.8/120	8.0/120	7.2/120	6.2/110	4.4/120	4.6/110	3.4/120	4.0/120	4.3/110	4.4/110		
3	4.6/110	6.6/110	6.8/110	7.8/110	7.0/100	7.4/100	8.0/100	5.4/110	6.5/110	5.4/120	6.2/120	6.0/130	5.8/120	8.0/120	7.2/120	6.2/110	4.4/120	4.6/110	3.4/120	4.0/120	4.3/110	4.4/110			
4	7.2/110	4.1/100	5.1/100	5.5/100	5.2/100	3.8/110	3.6/110	3.9/110	3.8/100	10.4/110	5.3/100	4.8/110	4.4/130	4.4/100	G	4.0/130	4.2/130	3.9/130	5.6/120	8.8/100	4.2/100	3.2/110	2.4/130	3.1/120	
5	G	2.2/120	2.5/110	3.1/100	G	4.2/100	4.6/120	4.9/120	5.8/120	5.4/120	5.2/110	3.9/120	3.8/120	3.8/120	5.3/100	4.7/110	3.8/100	G	G	C	C	C	C		
6	G	C	C	C	C	C	C	C	C	5.5/100	5.0/110	4.7/100	4.0/100	3.5/100	3.7/100	3.9/130	4.3/130	4.3/100	4.6/100	2.0/100	3.4/100	2.7/100	2.5/100	5.8/110	
7	5.8/110	5.3/100	5.5/100	4.4/100	5.0/110	5.8/120	3.7/120	4.5/120	8.1/120	3.9/120	5.8/110	7.1/110	5.4/110	5.6/120	3.8/110	G	G	G	4.3/120	4.3/120	4.3/120	5.4/110	3.5/110	3.5/100	
8	2.4/100	3.5/100	G	G	3.0/120	4.0/130	4.3/120	4.5/120	4.3/120	4.6/120	4.4/120	4.2/120	4.0/100	4.0/120	4.0/130	7.2/120	8.9/120	6.3/120	4.6/120	8.5/120	3.0/130	G	G	5.6/130	
9	5.6/120	3.7/120	2.3/130	2.8/100	G	1.8/130	3.6/130	4.3/120	3.8/120	4.0/110	3.7/110	4.2/120	3.6/110	5.0/110	5.2/110	4.3/110	4.5/100	3.8/110	3.2/110	G	G	3.4/90	3.1/120	3.1/110	
10	4.2/110	3.6/110	2.8/110	4.8/100	4.0/100	4.2/100	3.5/110	3.5/120	7.3/120	4.3/110	5.9/120	7.6/110	6.5/110	5.4/110	G	G	G	5.0/120	7.0/130	4.2/120	1.2/120	6.4/110	6.3/110	5.2/110	
11	5.8/110	5.0/100	3.8/100	2.9/110	4.1/100	7.1/120	4.0/120	5.4/120	5.9/120	7.0/120	6.9/120	7.6/110	8.0/100	6.2/110	7.2/100	1.0/100	4.9/100	4.0/110	4.4/120	3.9/110	3.8/120	3.4/120	3.4/120	5.8/100	
12	4.8/110	3.1/110	3.1/110	6.3/100	8.6/100	4.9/120	7.4/120	9.0/120	5.2/120	7.0/110	6.0/100	7.9/110	4.3/110	5.4/100	4.3/130	4.1/130	4.0/100	G	3.2/120	3.5/120	3.4/120	5.5/100	4.9/100	G	
13	2.3/110	G	2.7/100	G	6.7/110	3.5/90	3.6/100	3.8/100	2.9/100	5.0/100	7.7/100	5.2/100	5.5/100	4.9/100	6.2/100	1.0/100	4.9/120	4.9/110	G	G	4.0/130	4.7/120	5.5/120	6.8/110	
14	7.8/100	4.9/110	2.5/100	3.5/100	4.2/100	1.7/130	3.6/100	5.9/110	6.9/120	4.3/120	C	4.4/110	4.3/100	5.5/100	5.5/100	C	5.6/120	G	3.6/130	4.3/120	G	2.8/120	2.4/110	2.6/110	
15	6.8/100	7.1/100	4.0/100	3.8/100	3.7/100	2.3/100	4.1/100	7.0/120	7.0/120	10.0/110	7.4/110	8.8/110	5.3/110	4.0/110	3.8/110	G	5.6/120	4.3/130	3.8/120	3.5/120	3.4/120	6.8/120	4.2/120	4.6/110	
16	3.0/110	3.4/100	2.4/100	3.1/100	2.8/100	3.0/100	3.6/100	4.5/120	7.0/120	3.7/130	7.8/120	5.4/120	4.6/120	5.4/100	6.8/120	4.6/120	3.6/120	4.6/120	4.0/120	4.9/120	4.2/100	4.0/100	3.5/110	5.6/110	
17	3.8/120	4.8/110	5.2/110	6.6/110	6.8/100	5.5/100	4.6/120	4.3/120	4.2/120	4.2/120	G	4.0/110	3.7/110	3.9/100	G	4.6/130	3.8/120	4.0/120	4.0/120	4.2/100	4.0/100	3.0/100	3.5/110	5.6/110	
18	7.0/100	5.6/100	4.2/100	5.2/100	7.2/100	3.4/100	6.3/120	6.1/110	7.0/110	9.6/100	9.0/110	8.2/100	7.0/100	5.8/100	4.0/100	G	G	G	4.9/120	4.3/120	4.6/110	2.4/110	4.1/110	3.0/130	
19	2.4/120	G	2.4/120	G	2.2/130	G	3.3/120	4.4/110	5.4/100	4.0/110	4.0/100	3.4/100	3.1/100	G	G	G	G	5.9/120	C	2.1/120	3.2/120	G	G	G	
20	G	3.5/130	2.6/130	2.5/110	C	C	C	C	5.2/110	5.3/110	6.0/110	4.5/110	3.9/110	4.3/110	4.0/120	6.8/130	4.6/120	4.7/120	3.7/120	4.9/100	3.9/100	3.4/90	G	3.2/120	
21	G	7.2/100	4.2/100	3.6/100	2.7/110	G	3.2/130	4.7/120	4.3/110	4.4/120	4.2/120	4.3/120	4.3/100	6.3/120	4.6/120	7.4/130	4.1/120	4.0/130	8.8/100	5.7/100	3.4/100	4.0/100	4.0/100		
22	3.7/100	4.5/100	2.6/100	3.2/100	3.2/100	6.2/120	5.8/120	5.9/110	3.8/120	4.5/120	6.2/120	6.0/110	6.0/100	4.8/120	4.6/120	5.4/120	4.0/100	5.5/100	5.6/100	3.9/100	5.9/100	G	G	G	
23	4.0/100	C	4.4/120	3.0/100	6.4/110	5.6/110	3.8/100	4.2/120	G	5.4/110	5.6/130	4.0/120	4.1/120	G	4.0/110	4.1/100	3.8/120	3.8/120	4.0/120	6.0/120	6.6/100	5.4/100	3.4/100	2.2/100	
24	5.4/130	3.6/100	4.4/100	6.3/100	4.0/100	5.8/100	5.0/100	4.2/110	8.8/100	4.5/100	4.2/100	5.5/100	3.6/100	6.2/100	4.8/100	3.8/100	3.4/100	3.5/120	4.0/110	3.0/120	G	G	3.1/100	6.6/110	
25	4.2/110	3.1/100	3.1/100	3.2/100	2.7/100	3.2/120	G	4.0/120	3.4/130	3.9/110	4.1/110	3.7/100	3.8/100	B	G	G	G	4.4/120	5.7/100	4.0/100	4.7/110	5.4/100	7.2/120	7.0/120	
26	6.6/110	5.7/100	6.0/100	4.3/100	3.9/100	3.1/100	2.3/100	4.0/100	5.0/100	3.8/110	3.9/130	G	3.9/100	G	G	5.6/130	4.9/130	5.4/120	6.4/110	3.6/100	4.0/100	3.6/100	G	G	
27	G	2.8/120	2.6/120	3.2/100	4.2/110	6.0/120	4.9/100	4.5/100	3.8/120	3.7/100	6.0/100	5.8/100	5.8/100	4.2/100	4.1/100	G	6.2/120	2.6/110	9.4/100	3.7/100	4.0/100	2.2/100	3.1/100	2.6/100	
28	3.2/100	3.2/100	3.2/100	3.3/110	3.0/110	3.0/110	6.0/100	3.1/100	3.7/110	4.2/110	4.0/100	5.4/100	4.1/100	3.5/110	4.0/110	G	4.2/130	3.7/130	4.3/120	4.0/120	G	G	4.1/110	4.3/110	
29	3.8/100	3.8/130	3.7/100	4.0/100	2.9/100	4.0/100	3.1/110	5.2/120	6.8/110	5.6/100	5.5/100	4.1/100	4.0/100	3.9/110	G	3.1/130	6.1/120	5.4/120	7.3/100	8.5/100	6.0/100	3.8/100	6.7/110	4.9/100	
30	3.7/100	3.5/110	4.0/100	3.7/100	3.8/110	3.7/100	3.9/110	4.2/130	5.0/130	4.8/130	5.4/130	4.3/130	5.0/120	4.3/120	4.0/120	4.0/130	G	4.0/120	4.0/100	3.5/100	3.0/100	3.7/100	3.6/110	G	
31						3.2/100	3.1/110	4.2/120	4.9/130	6.2/120	6.6/110	7.0/110	4.2/100	4.2/130	B	4.2/120	4.3/120	3.9/130	3.9/120	(3.9)5/100	3.1/120	3.8/100	3.8/100	3.0/100	
Median	3.8	3.6	3.1	3.6	3.9	3.9	3.8	4.4	5.2	4.8	5.3	5.0	4.3	4.3	4.0	4.2	4.2	4.3	4.0	4.1	4.0	3.4	3.4	3.2	
Count	2.9	2.8	2.9	2.1	2.8	2.8	2.9	2.8	2.9	3.1	3.1	3.0	3.1	3.0	3.0	0	3.1	3.1	3.0	3.0	3.0	3.0	3.0	3.0	

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

Manual ☐ Automatic ☒

TABLE 55

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA

National Bureau of Standards
(Institution)

Scaled by: E.J.W., J.J.S., B.E.B.

Calculated by: J.J.S., B.E.B., J.M.W.

(M1500F2)
(Characteristic)

July 1949
(Month)

Washington, D. C.

Lat 39.0°N, Long 77.5°W

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
2	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
3	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
4	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
5	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
6	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
7	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
9	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
10	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
11	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
12	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
13	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
14	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
15	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
16	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
17	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
18	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
19	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
20	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
21	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
22	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
23	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
24	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
25	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
26	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
27	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
28	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
29	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
30	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
31	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Median	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Count	30	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

* SUPPLEMENTARY DATA FROM FT. BELVOIR,
LAT. 38.7°N, LONG. 77.1°W.

Sweep 10 Mc to 25.0 Mc in 0.25 min
Manual ☐ Automatic ☒

TABLE 56

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

(M3000)F2 July 1949

(Characteristics) (Unit)

Observed at Washington, D. C.

IONOSPHERIC DATA

National Bureau of Standards

(Institution)

Scaled by: E. J. W., J. J. S., B. E. B.

Calculated by: J. J. S., B. E. B., J. M. W.

Calculated by: J.J.S., B.E.B., J.M.W.																								
75°W																								
Mean Time																								
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	*2.7	*2.8	*2.6	*2.8	*2.6	*2.8	*2.9	*(2.5) ³	*2.9	2.8	2.9	2.6	2.8	(2.6) ³	2.8	2.8	2.8	2.8	2.7	2.8	2.8	(2.8) ³	2.8	2.9
2	2.9	2.8	2.6	2.8	2.8	2.8	2.7	2.9	2.8	2.9	2.8	2.7	(2.5) ³	2.6	(2.7) ³	(2.7) ³	2.8	2.8	2.8	2.9	2.8	2.7	2.7	2.7
3	2.7	2.7	2.8	2.8	2.8	2.9	2.9	3.0	(3.0) ³	(2.7) ³	2.7	(2.8) ³	(2.7) ³	2.6	(2.7) ³	(2.7) ³	2.8	2.9	2.9	2.9	2.8	2.8	(2.9) ³	2.7
4	2.9	2.7	2.8	3.0	2.8	2.9	2.9	3.0	3.1	A	2.9	[2.8] ³	2.7	2.7	(2.7) ³	2.7	(2.9) ³	2.9	2.9	3.0	2.7	(2.8) ³	2.8	2.9
5	(3.0) ³	2.8	2.8	2.7	2.7	2.9	2.9	3.1	3.0	3.0	2.8	2.9	(2.7) ³	2.8	(2.9) ³	2.7	2.9	2.8	2.9	C	C	C	C	C
6	C	C	C	C	C	C	C	C	C	(3.1) ³	(3.0) ³	(2.7) ³	2.8	2.9	(2.9) ³	2.8	(2.9) ³	2.9	2.9	2.9	2.9	(2.8) ³	(2.8) ³	2.5
7	2.7	2.8	2.7	2.8	2.9	2.8	2.8	2.8	3.5	(2.7) ³	2.9	2.8	2.8	2.9	(2.8) ³	2.8	2.9	2.9	2.9	2.9	(2.8) ³	2.8	2.8	2.9
8	2.7	2.6	2.7	2.6	2.5	2.7	2.7	3.1	(2.6) ³	N	N	2.9	2.7	5	(2.7) ³	2.9	2.9	2.9	2.8	A	2.9	2.8	2.8	2.8
9	2.8	2.7	2.8	2.7	2.7	2.8	3.0	2.9	2.8	3.0	2.9	3.0	(3.0) ³	(3.0) ³	2.9	3.0	2.9	2.9	2.9	2.9	2.9	2.8	2.8	2.8
10	2.9	2.8	3.0	3.0	2.8	2.9	3.1	3.4	3.0	2.9	2.8	2.9	3.1	2.9	(3.0) ³	2.8	2.8	2.9	(2.9) ³	2.9	2.9	2.8	3.0	2.9
11	2.8	2.9	2.9	2.8	2.9	3.0	3.2	3.0	3.1	3.0	2.9	2.9	2.9	2.8	2.9	2.9	3.0	(2.9) ³	2.9	2.9	2.9	2.9	3.0	3.0
12	(2.9) ³	3.0	3.0	3.0	2.9	3.0	3.3	(3.0) ³	3.1	3.2	2.8	(3.0) ³	(2.9) ³	(2.8) ³	2.8	2.9	2.9	2.9	3.1	(2.9) ³	(2.9) ³	(2.8) ³	2.9	(2.9) ³
13	2.8	2.7	2.6	2.7	2.6	2.7	2.7	2.7	2.7	2.6	2.9	2.3	2.8	2.8	2.8	2.8	2.9	3.1	3.1	3.0	(2.9) ³	(2.8) ³	2.9	(2.9) ³
14	2.7	2.8	2.9	3.0	2.7	3.0	3.2	2.8	2.9	(2.8) ³	2.7	C	2.7	2.9	3.0	C	2.9	3.1	2.9	2.9	2.9	2.9	2.9	2.8
15	2.8	2.8	2.9	2.8	3.1	3.1	3.3	2.9	3.0	3.0	3.0	2.9	2.7	2.8	2.9	2.8	2.8	2.9	2.9	3.1	(2.8) ³	2.8	2.8	2.8
16	2.9	2.8	2.8	3.0	2.9	3.1	3.0	2.9	3.0	2.7	2.6	(2.8) ³	2.8	2.6	2.6	2.7	2.8	2.9	2.7	2.8	2.9	(2.9) ³	2.6	2.6
17	2.8	2.8	3.1	3.0	2.7	2.7	2.9	2.9	2.9	(2.4) ³	2.4	2.5	(2.4) ³	2.4	2.3	2.6	2.8	2.8	3.0	2.9	2.8	2.8	2.8	2.8
18	2.7	2.8	2.8	2.7	(2.9) ³	(3.4) ³	3.0	3.3	2.9	2.8	2.9	2.7	2.7	2.7	2.8	2.8	2.6	2.7	2.8	(3.0) ³	2.9	2.8	2.7	2.7
19	2.7	2.7	2.7	2.4	2.5	2.6	3.0	2.7	2.7	5	2.7	3.1	5	2.7	2.7	C	2.6	2.8	*3.0	(2.8) ³	C	2.9	2.6	2.9
20	2.9	2.8	3.1	2.7	*2.8	(3.0) ³	*3.1	*3.4	3.2	2.7	2.7	2.6	5	5	2.6	2.6	2.6	2.8	2.8	2.9	2.9	2.8	2.7	2.8
21	2.9	(2.5) ³	(2.8) ³	3.0	2.9	2.9	3.2	3.1	(3.2) ³	2.8	3.0	(3.3) ³	N	2.7	(2.8) ³	2.8	2.7	2.9	2.9	2.9	(2.8) ³	2.8	2.8	2.7
22	2.7	2.8	2.8	2.9	2.8	2.9	2.9	2.9	2.7	(2.8) ³	2.9	2.9	(3.0) ³	2.6	2.6	2.8	(2.7) ³	3.0	2.8	3.0	2.8	2.8	2.7	2.6
23	2.6	C	2.8	2.7	2.6	2.7	2.8	2.8	2.8	2.8	3.0	(2.8) ³	(2.8) ³	3.0	(2.8) ³	2.8	2.9	2.9	2.8	2.9	2.8	2.9	2.8	2.8
24	2.7	2.7	2.8	2.7	2.7	2.7	2.9	3.0	2.6	(2.9) ³	(3.0) ³	2.6	2.7	2.7	(2.8) ³	2.8	3.0	2.9	2.8	2.9	2.9	2.8	2.8	2.7
25	2.6	2.7	2.7	2.6	2.8	2.9	2.7	2.8	2.8	2.8	2.6	(2.5) ³	2.6	B	(2.7) ³	2.6	2.8	2.8	2.9	2.9	2.9	3.0	2.7	2.6
26	2.9	2.9	2.6	2.8	2.9	3.1	3.2	3.1	(3.2) ³	2.7	2.6	2.7	2.5	2.7	(2.7) ³	2.7	2.7	2.8	2.8	2.9	2.8	2.6	2.7	2.7
27	2.8	2.9	3.0	2.7	2.9	2.8	2.9	2.9	2.9	2.9	A	2.6	2.7	(2.8) ³	2.7	2.7	2.7	2.9	2.8	3.0	2.9	2.9	2.9	2.9
28	2.7	2.7	2.7	2.8	2.9	2.8	3.2	3.1	3.2	2.9	3.0	C	B	2.6	2.6	2.7	2.8	(3.1) ³	3.0	2.9	2.9	2.8	2.7	2.7
29	2.6	2.7	2.7	2.6	2.7	2.7	2.9	2.9	2.8	2.9	3.0	2.6	2.6	2.6	2.6	2.7	2.9	2.9	2.8	2.9	2.8	2.8	2.8	2.8
30	2.7	2.9	2.7	2.8	2.8	3.0	3.0	2.9	2.9	(2.9) ³	2.7	(2.9) ³	2.9	5	2.8	2.8	2.9	2.9	3.0	2.9	(2.8) ³	2.8	2.9	2.7
31	2.8	2.7	2.7	2.8	2.8	2.9	3.2	(3.1) ³	3.1	2.8	2.9	B	2.7	2.9	2.7	2.8	2.7	2.8	(2.8) ³	(2.9) ³	2.9	2.9	2.8	2.7
Median	2.8	2.8	2.8	2.8	2.8	2.9	3.0	2.9	2.9	2.8	2.9	2.8	2.7	2.7	2.8	2.8	2.8	2.9	2.9	2.9	2.9	2.8	2.8	2.8
Count	30	29	30	30	30	30	30	30	30	28	29	27	27	28	31	29	31	31	31	29	29	30	30	30

Sweep 1.0 - Mc to 5.0 Mc in 0.25 min

Manual ☐ Automatic ☒* SUPPLEMENTARY DATA FROM FT. BELVOIR,
LAT. 38°7'N, LONG. 77°15'W

TABLE 57
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

National Bureau of Standards
(Institution)

Scaled by: E.J.W., J.J.S., B.E.B., J.M.W.

(M3000)FI
(Characteristic)
Observed at Washington, D. C.

July 1949
(Month)

Lat 39.0°N, Long 77.5°W

Calculated by: J.J.S., B.E.B., J.M.W.																								
75°W																								
Mean Time																								
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1							*3.6	*3.4	*3.7	3.6	3.6	(3.5)S	3.8	3.5	3.4	3.7	3.4	L	L					
2							Q	Q	3.5	3.4	3.6	3.4	3.2	3.6	3.4	3.7	3.8	3.7	L					
3							Q	3.4	3.7 ^M	3.6	3.1	3.2	2.6	A	A	L	3.5	3.4	Q					
4							Q	3.6	L	A	3.7	(3.7)S	3.8	3.6	3.6	3.5	3.5	4.0	L					
5							Q	L	A	3.7	3.5	3.4	3.5	3.9	3.7	3.9	3.5	L	Q					
6							C	C	C	3.5	3.8	3.6	3.9	3.8	(4.0)P	3.6	3.3	3.3						
7							3.5	3.5	A	3.8	3.8	A	3.3	3.4	3.4	(3.5)S	3.6	3.3	Q					
8						3.0	3.4	2.5	(3.8)P	3.7	3.9	(3.5)P	3.4	3.5	3.9 ^M	3.4	A	A	Q					
9							Q	Q	3.4	3.5	3.7	3.6	(3.7)S	3.5	3.5	3.6	3.6	L	L					
10							L	3.6	L	3.8	A	A	A	A	3.6	(3.8)S	3.7	3.4	A	L				
11							Q	L	3.6	3.6	A	A	A	A	A	3.3	(4.5)P	3.5						
12							Q	A	3.7	3.1	A	S	3.5	3.8	3.3	3.8	3.5 ^M	L	L					
13							3.1 ^F	3.4	3.7	3.4	A	3.7	(3.3)S	3.8	3.7	A	3.3	3.6	L					
14							Q	A	(3.8)A	3.7	3.7	C	3.9	3.6	4.0	C	3.5	3.8	4.1					
15							Q	Q	A	(3.8)A	3.7	A	3.8	3.6	3.8	3.8	A	3.6	Q					
16							L	3.5	3.5	L	3.6	3.5	3.7	3.6	3.2	3.3	3.1	3.4	3.4					
17							Q	3.5 ^F	3.5	3.8	4.3 ^K	3.8 ^K	3.8 ^K	4.1 ^K	3.9 ^K	3.7 ^K	3.3 ^K	3.6 ^K	3.6 ^K					
18							Q	C	A	A	A	3.5	A	3.2	3.3	3.6	3.4	3.3	A					
19							3.3	3.3	(4.0)S	3.6	3.9 ^M	3.9	3.8	3.6	3.6	C	3.4 ^M	3.2	*A					
20							*Q	*Q	3.6 ^K	4.0 ^K	3.6 ^K	4.0 ^K	4.1 ^K	(3.7)K	3.5 ^K	3.6 ^K	3.5 ^K	3.4	(3.3)P					
21							Q	Q	L	(3.6)P	3.4	3.7 ^M	3.6	3.7	3.5	3.5 ^M	3.5 ^M	3.4	L					
22							3.1	3.2	3.3	3.8	(3.7)S	3.6	3.6	3.7	3.6	(3.4)P	A	A	3.3					
23							L	3.3	3.6	3.4	3.8 ^M	(3.9)P	3.6	C	3.6	3.9	3.7	3.2	L					
24							Q	3.4	3.4	3.8 ^M	3.7 ^M	(3.9)P	3.7	(3.3)P	3.3	3.3	3.6	(3.2)P	L					
25							(3.0)P	3.3	(3.9)S	3.6	3.6	3.6	(4.0)S	3.5	3.5	3.5	3.5	3.5	L					
26							Q	L	A	3.9	(3.8)P	4.0	3.7	3.3	3.8	3.9	3.5	3.2	A					
27							L	3.5	3.6	3.8	A	3.7	3.9	3.6	3.7	3.6	A	A	A					
28							Q	3.4	(3.6)P	3.6	N	C	3.8	3.8	3.8	3.7	3.7	3.4	L					
29							L	3.5	3.6	3.7	3.6	3.5	3.8	3.8	3.5	(3.4)P	A	3.3	A					
30							Q	L	3.4	3.8	3.7	3.5	S	(4.0)P	3.8	3.4	3.4	3.4	(3.5)S					
31							Q	L	L	3.5	A	3.3	3.6	3.6	3.3	3.3	3.8	3.8	L					
Median							3.3	3.4	3.6	3.6	3.7	3.6	3.7	3.6	3.6	3.6	3.6	3.5						
Count							7	17	21	28	23	23	25	27	28	26	26	26	23					

* SUPPLEMENTARY DATA FROM FT. BELVOIR,
LAT. 38.7°N, LONG. 77.1°W.

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

Manual ☐ Automatic ☒

TABLE 58

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

(M1500)E, (Unit) July 1949
 Observed at Washington, D. C.

IONOSPHERIC DATA

National Bureau of Standards
 Scaled by: E.J.W., J.J.S., B.E.B.
 Calculated by: J.J.S., B.E.B., J.M.W.

Calculated by: J.J.S., B.E.B., J.M.W.																								
75°W																								
Mean Time																								
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1							*4.3	*4.2	*4.1	4.1	(4.3) ^A	(4.3) ^A	(4.2) ^P	A	(4.2) ^M	(4.2) ^{VA}	A	A	4.2	4.2 ^M				
2							3.8 ^M	4.1	4.2 ^H	4.3	A	(4.2) ^A	(4.3) ^P	A	4.1	4.2	3.8 ^H	4.2	A	4.2				
3							A	A	(4.1) ^A	(4.3) ^A	(4.3) ^A	(4.2) ^P	4.0	4.0	4.0	4.2	4.1	(4.5) ^A	A	A				
4							4.0	(3.9) ^A	(4.1) ^A	A	A	A	4.0	4.0	4.1	4.2	(4.3) ^A	4.1	A					
5							4.5 ^M	4.0	4.1	4.1	4.3	4.4	(4.2) ^F	(4.3) ^S	A	A	4.2	3.9	(4.3) ^S	C				
6							C	C	C	4.5	4.3	A	A	A	(4.1) ^A	4.1	(4.3) ^A	A	4.2					
7							(3.9) ^A	4.3	4.2	4.2	4.4	A	A	A	A	(4.5) ^S	4.0	3.9	4.2					
8							(4.5) ^A	4.3	4.2	A	4.4	A	A	A	(4.5) ^A	4.3	4.4	4.1	(4.0) ^A					
9							4.5	(4.4) ^M	4.3	4.4	(4.3) ^A	4.4	(4.3) ^P	A	A	A	A	(3.9) ^A	4.2	3.7 ^F				
10							4.3	4.1	A	A	A	A	(4.3) ^A	4.2	4.2	3.9	A	4.2	A	A				
11							4.3	4.4	3.9	4.1	(4.1) ^A	(4.2) ^A	(4.2) ^A	4.3	4.3	4.3	4.5	4.2	A	A				
12							4.6	(4.4) ^A	4.0	4.2	(4.3) ^A	(4.1) ^A	4.1	A	4.3	4.3	4.2	4.1	4.4	4.1				
13							4.5 ^F	A	A	A	A	A	4.3	A	4.4	A	4.2	(4.5) ^A	4.3	3.8 ^F				
14							4.0	4.3	4.1	4.2	4.2	C	4.2	4.4	4.4	C	4.2	4.1	4.4					
15							4.4	4.1	4.2	(4.3) ^A	(4.3) ^A	A	A	A	A	4.1	A	(4.1) ^A	4.2	3.9				
16							4.0	A	3.9	4.2	4.3	4.2	A	3.9	(4.0) ^A	(4.1) ^A	A	A	4.1 ^M	4.3				
17							4.4	4.1 ^K	4.2 ^K	4.2 ^K	4.1 ^K	A	A	A	A	3.8 ^K	4.0 ^K	4.2	4.3 ^K	4.2 ^K				
18							4.8	4.4	4.2	(4.4) ^A	A	A	A	A	A	4.0	4.0	4.3	4.2					
19							4.3	A	A	(4.4) ^A	(3.9) ^P	A	3.9	(4.0) ^S	(4.0) ^S	C	4.2	(4.2) ^K	(4.4) ^A					
20							(4.3) ^M	*4.1	4.3 ^K	A	(4.3) ^P	(4.4) ^K	A	A	A	3.8 ^K	(4.2) ^K	4.4	A					
21							4.1	(3.9) ^A	4.0	4.2	(4.3) ^P	4.3	A	4.0	4.4	4.0	3.9	4.3	4.3					
22							4.5	A	4.3	A	4.4	(4.1) ^P	4.3	A	4.1	A	(4.3) ^F	4.2	A					
23							4.2 ^M	4.1	4.1	4.4	4.1	(4.1) ^P	A	(4.1) ^C	A	A	4.3	4.2	4.1	A				
24							A	4.4	A	A	A	A	4.1	A	A	4.0	4.1	4.2	4.2					
25							4.2	4.4	(3.9) ^A	A	A	A	A	A	B	4.1	3.9	4.0	4.4					
26							4.0	4.0	4.4	A	4.2	S	S	4.2	4.0	4.2	4.2	4.4	4.4					
27							A	A	4.4	A	A	A	A	4.0	4.3	4.3	4.2	4.2	(4.4) ^A					
28							4.0	(3.9) ^M	(4.1) ^A	A	A	C	B	A	A	3.8	4.1	4.3 ^M	4.2					
29							4.2 ^M	4.3	4.4	4.4	4.2	(4.1) ^A	A	4.4	4.3	4.1	4.3	4.3	(4.4) ^A					
30							A	4.3	4.2	4.1	4.2	(4.4) ^S	4.4	S	4.1	3.9	4.0	A	(4.3) ^A					
31							4.0	4.1	4.1	4.2	4.3	B	B	(4.1) ^A	B	(4.1) ^A	A	4.3	4.2	4.2				
Median																								
Count																								

* SUPPLEMENTARY DATA FROM FT. BELVOIR,
 LAT. 36.7°N, LONG. 77.1°W.

Sweep 1.0 Mc to 25.0 Mc in 0.25 min
 Manual ☐ Automatic ☒

Table 59

Ionospheric Storminess at Washington, D. C.July 1949

Day	Ionospheric character*		Principal storms		Geomagnetic character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
1	2	1			2	2
2	1	2			2	1
3	2	1			1	2
4	2	1			1	1
5	0	1			1	1
6	***	1			1	1
7	2	1			2	2
8	2	3			2	3
9	1	2			3	1
10	1	2			1	2
11	1	2			1	1
12	1	1			1	3
13	2	3			3	2
14	2	2			2	2
15	1	3			0	1
16	1	2			1	4
17	2	5	1200	----	3	2
18	2	2	----	0100	2	4
19	2	3			4	3
20	2	4	1100	2200	2	2
21	2	2			1	2
22	1	1			2	3
23	2	1			3	3
24	2	1			2	2
25	2	3			3	3
26	2	3			1	1
27	0	2			0	0
28	1	3			0	1
29	2	3			1	2
30	1	2			2	2
31	2	3			2	2

*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D. C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

**Average for 12 hours of Cheltenham, Maryland, geomagnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

***No readable record. Refer to table 48 for detailed explanation.

----Dashes indicate continuing storm.

Table 60Sudden Ionosphere Disturbances Observed at Washington, D. C.July 1949

1949 Day	GCT		Location of transmitters	Relative intensity at minimum*	Other phenomena
	Beginning	End			
July 14	2040	2110	Ohio, D.C., England	0.03	Terr.mag.pulse** 2044-2100
27	1220	1240	Ohio, England	0.1	Terr.mag.pulse** 1222-1230
28	1510	1600	Ohio, D.C., England	0.03	
29	1411	1455	Ohio, D.C., England	0.0	Terr.mag.pulse** 1411-1430
29	2125	2200	Ohio, D.C.	0.05	
30	1707	1850	Ohio, D.C.	0.1	
31	1420	****	Ohio, D.C., England, New Brunswick	0.0	Solar flare*** 1505
31	1845	1925	Ohio, D.C., New Brunswick	0.0	

*Ratio of received field intensity during SID to average field intensity before and after, for station W8XAL, 6080 kilocycles, 600 kilometers distant.

**As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

***Time of observation at McMath-Hulbert Observatory, Michigan.

****Incomplete recovery of SID.

Table 61Sudden Ionosphere Disturbances Reported by RCA Communications, Inc.,as Observed at Point Reyes, California

1949 Day	GCT		Location of transmitters
	Beginning	End	
August 1	2013	2300	Australia, China, Hawaii, Japan, New Zealand, Philippine Is.
4	0100	0445	Australia, China, Japan, Java, Philippine Is.

Table 62

Sudden Ionosphere Disturbances Reported by Engineer-in-Chief,
Cable and Wireless, Ltd., as Observed in England

1949 Day	GCT		Receiving station	Location of transmitters	Other phenomena
	Beginning	End			
June 16	0925	0955	Brentwood	Bulgaria, Canary Is., French Equatorial Africa, Greece, Iran, Southern Rhodesia, Switzerland	Solar flare* 0900
17	0850	0915	Brentwood	Afghanistan, India, Iran, Kenya, Madagascar, Palestine, Southern Rhodesia, Spain, Switzerland, Turkey, U.S.S.R., Yugoslavia, Zanzibar	Solar flare* 0912
July 11	0635	0700	Brentwood	Bahrein I., Greece, India, Iran, Kenya, Southern Rhodesia, Trans-Jordan, Zanzibar	
13	1505	1530	Brentwood	Bahrein I., Barbados, Eritrea, French Equatorial Africa, India, Turkey, Uruguay, Venezuela	

*Time of observation at Meudon Observatory, France.

Table 63

Sudden Ionosphere Disturbances Reported by RCA Communications, Inc.,
as Observed at Riverhead, New York

1949 Day	GCT		Location of transmitters	Other phenomena
	Beginning	End		
July 29	1423	1430	Argentina, England, Italy, Morocco, Panama	Terr.mag.pulse* 1411-1430
31	1445	1600	Argentina, Canada, England, Italy, Morocco, Panama	Solar flare** 1505

*As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

**Time of observation at McMath-Hulbert Observatory, Michigan.

Note: Observers are invited to send to the CRPL information on times of beginning and end of sudden ionosphere disturbances for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Table 64

Provisional Radio Propagation Quality Figures
(Including Comparisons with CRPL Warnings and CRPL Probable Disturbed Period Forecasts)
June 1949

Day	North Atlantic				North Pacific			
	Quality figure	CRPL* Warning	CRPL** Forecast of probable disturbed periods	Geo-magnetic K _{Ch}	Quality figure	CRPL* Warning	CRPL** Forecast of probable disturbed periods	Geo-magnetic K _{Ch}
	01-12 GGT 13-24 GGT	01-12 GGT 13-24 GGT		01-12 GGT 13-24 GGT	01-12 GGT 13-24 GGT	01-12 GGT 13-24 GGT		01-12 GGT 13-24 GGT
1	6 6	X		4 2	6 6	X		4 2
2	7 6			2 2	6 5			2 2
3	7 6			3 2	6 6			3 2
4	(4) (4)	X		4 5	6 5	X		4 5
5	(2) (3)	X X		4 5	(2) (4)	X X		4 5
6	(2) (4)	X X		3 3	(4) 5	X X		3 3
7	5 (4)	X		3 2	(4) 5	X		3 2
8	6 6			2 2	5 6			2 2
9	6 6			2 2	5 7			2 2
10	6 6			1 1	5 6			1 1
11	7 6			0 2	6 6			0 2
12	5 5			4 4	5 (4)			4 4
13	5 5	X		3 2	5 5	X		3 2
14	6 6			1 2	6 5			1 2
15	6 7			3 3	6 6			3 3
16	7 6			3 2	6 6			3 2
17	8 6			1 3	6 7			1 3
18	5 6		X	3 3	6 7		X	3 3
19	8 7		X	3 2	6 7		X	3 2
20	7 6			2 1	6 6			2 1
21	7 7			1 2	5 6			1 2
22	6 6			2 3	6 6			2 3
23	6 6			1 1	6 7			1 1
24	7 7			1 2	6 6			1 2
25	6 6			3 2	6 6			3 2
26	7 6			1 2	6 6			1 2
27	7 6		X	3 2	6 7		X	3 2
28	7 6		X	2 3	5 6		X	2 3
29	7 6			2 3	6 6			2 3
30	6 6			2 2	6 6			2 2
Score:								
X	3		0		3		0	
M	1		4		1		4	
G	24		22		23		22	
(S)	1		1		2		1	
S	1		3		1		3	

Quality Figure Scale:

- 1 - Useless
- 2 - Very poor
- 3 - Poor
- 4 - Poor to fair
- 5 - Fair
- 6 - Fair to good
- 7 - Good
- 8 - Very good
- 9 - Excellent

Symbols:

- X Warning given or probable disturbed date
- H Quality 4 or worse on day or half day of warning
- M Quality 4 or worse on day or half day of no warning
- G Quality 5 or better on day of no warning
- (S) Quality 5 on day of warning
- S Quality 6 or better on day of warning
- () Quality 4 or worse (disturbed)

Geomagnetic K_{Ch} on the standard scale of 0 to 9, 9 representing the greatest disturbance.

*Broadcast on WWV, Washington, D.C. Times of warnings recorded to nearest half day as broadcast.

**In addition to dates marked X, the following were designated as probably disturbed days on forecasts more than eight days in advance of said dates: June 8 and 9.

Table 65a

Coronal observations at Climax, Colorado (5303A), east limb

Date GCT	Degrees north of the solar equator																		0°	Degrees south of the solar equator																			
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90		
1949																																							
July 1.7	X	X	X	X	X	X	X	X	5	5	4	3	3	5	5	10	12	11	5	5	5	4	3	14	13	14	5	5	4	-	-	-	-	-	-	-	-	-	-
2.7	X	-	-	-	-	-	-	3	3	3	4	5	6	7	9	8	6	5	4	4	3	4	4	9	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-
3.6	-	-	-	-	-	-	-	-	4	5	9	10	12	11	10	9	9	10	13	11	8	9	10	10	8	7	5	-	-	-	-	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-	-	4	7	9	10	11	9	8	9	14	14	12	13	13	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5.6	-	-	-	-	-	-	-	-	-	5	10	10	11	11	6	8	9	10	10	10	11	17	16	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6.6	-	-	-	-	-	-	-	3	3	4	7	10	8	10	9	11	10	11	11	10	10	10	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.8	X	-	-	-	-	-	-	-	3	4	5	7	8	10	11	9	10	11	10	7	5	6	4	4	4	3	-	-	-	-	-	-	-	-	-	-	-	X	
9.6	-	-	-	-	-	-	-	-	-	4	5	7	9	10	11	11	8	8	7	7	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11.8	-	-	-	-	-	-	-	3	4	6	6	8	8	12	10	9	10	7	4	3	5	8	8	6	4	3	3	3	-	-	-	-	-	-	-	-	-	-	
12.6	-	-	-	-	-	-	-	-	6	9	10	11	10	9	8	9	9	9	8	5	3	3	4	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	
13.6	-	-	-	-	-	-	-	-	4	5	6	7	13	10	11	11	10	10	10	11	8	8	7	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
14.7	-	-	-	-	-	-	-	-	-	3	6	9	11	14	13	10	5	6	10	10	9	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15.6	-	-	-	-	-	-	-	-	-	-	4	5	12	13	11	10	5	5	6	6	7	7	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
16.6	-	-	-	-	-	-	-	-	-	-	6	8	12	11	15	14	8	7	5	6	6	9	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17.6	-	-	-	-	-	-	-	-	3	3	4	5	5	9	11	11	10	10	7	5	6	8	8	8	7	4	-	-	-	-	-	-	-	-	-	-	-	-	
18.7	-	-	-	-	-	-	-	-	3	3	4	4	7	9	10	10	11	11	11	10	11	11	7	4	5	4	3	-	-	-	-	-	-	-	-	-	-	-	
19.6	-	-	-	-	-	-	-	-	-	7	8	9	8	7	7	8	9	10	10	8	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20.8	-	-	-	-	-	-	-	-	-	3	3	11	9	7	5	5	4	4	7	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21.6	-	-	-	-	-	-	-	-	-	6	9	13	14	13	13	10	5	5	10	10	9	9	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
22.8	-	-	-	-	-	-	-	-	-	6	7	8	11	11	10	7	8	8	10	10	8	9	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-	X	
23.6	-	-	-	-	-	-	-	-	-	-	4	6	11	11	7	4	4	5	11	13	13	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24.6	-	-	-	-	-	-	-	-	-	-	-	-	2	18	19	15	12	11	10	10	18	23	23	22	13	12	7	2	-	-	-	-	-	-	-	-	-	-	
26.6	-	-	-	-	-	-	-	-	-	-	2	5	15	19	13	11	12	12	13	13	14	16	12	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
27.6	-	-	-	-	-	-	-	-	-	-	3	4	12	12	12	11	10	12	12	13	13	12	10	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
28.6	-	-	-	-	-	-	-	-	-	-	3	5	5	5	8	9	10	13	19	13	13	13	11	10	10	4	-	-	-	-	-	-	-	-	-	-	-	-	
29.6	-	-	-	-	-	-	-	-	-	-	3	4	6	6	7	8	10	13	12	9	10	9	9	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	
30.6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	6	8	10	12	7	5	4	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
31.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	5	9	10	11	11	11	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 66a

Coronal observations at Climax, Colorado (6374A), east limb

Date	Degrees north of the solar equator																			0°	Degrees south of the solar equator																		
GCT	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	0°	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90		
1949																																							
July 1.7	X	X	X	X	X	X	X	X	-	-	-	-	-	-	-	-	2	1	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2.7	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-		
5.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	1	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
6.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	4	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
8.8	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	-	-	-	-	1	1	1	-	-	-	-	X			
9.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
11.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	7	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
15.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	4	1	1	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-		
16.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
17.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18.7	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-		
19.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
20.8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-		
23.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	2	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-		
24.6	1	1	-	-	1	1	1	2	1	-	1	1	3	7	10	6	2	1	-	-	5	15	10	8	10	4	1	-	-	-	-	-	-	-	-	-	-		
26.6	-	-	-	-	-	1	1	1	1	1	1	1	1	1	11	5	5	1	1	-	-	11	1	5	2	1	1	1	1	1	-	1	1	-	-	-	-		
27.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10	11	-	8	-	5	5	5	4	2	-	-	-	-	-	-	-	-	-	-	-			
28.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	9	9	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
29.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	8	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
30.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
31.7	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 68

American and Zürich Provisional Relative Sunspot NumbersJuly 1949

Date	R _A **	R _Z **	Date	R _A *	R _Z **
1	200	156	17	127	105
2	172	124	18	159	109
3	142	138	19	183	136
4	98	100	20	196	144
5	82	67	21	181	142
6	114	79	22	172	150
7	108	86	23	194	171
8	88	61	24	224	182
9	72	57	25	207	187
10	68	52	26	205	164
11	87	59	27	201	182
12	129	95	28	202	164
13	127	107	29	198	185
14	131	91	30	214	185
15	148	113	31	193	196
16	140	113	Mean:	153.6	125.8

*Combination of reports from 49 observers; see page 9.

**Dependent on observations at Zürich Observatory and its stations at Locarno and Arosa.

GRAPHS OF IONOSPHERIC DATA




Fig. 1. WASHINGTON, D. C.
39.0°N, 77.5°W

JULY 1949




Fig. 2. WASHINGTON, D. C.

JULY 1949




Fig. 3. BOSTON, MASSACHUSETTS
42.4°N, 71.2°W

JUNE 1949




Fig. 4. BOSTON, MASSACHUSETTS

JUNE 1949




Fig. 5. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W

JUNE 1949




Fig. 6. SAN FRANCISCO, CALIFORNIA

JUNE 1949




Fig. 7. WHITE SANDS, NEW MEXICO
32.3°N, 106.5°W

JUNE 1949




Fig. 8. WHITE SANDS, NEW MEXICO

JUNE 1949




Fig. 9. BATON ROUGE, LOUISIANA
30.5°N, 91.2°W

JUNE 1949








Fig. 10. BATON ROUGE, LOUISIANA

JUNE 1949






Fig. 13. SAN JUAN, PUERTO RICO
18.4°N, 66.1°W

JUNE 1949




Fig. 14. SAN JUAN, PUERTO RICO

JUNE 1949




Fig. 15. TRINIDAD, BRIT. WEST INDIES
10.6°N, 61.2°W

JUNE 1949




Fig. 16. TRINIDAD BRIT. WEST INDIES

JUNE 1949




Fig. 17. PALMYRA I.
5.9°N, 162.1°W

JUNE 1949




Fig. 18. PALMYRA I.

JUNE 1949




Fig. 19. HUANCAYO, PERU
12.0°S, 75.3°W

JUNE 1949




Fig. 20. HUANCAYO, PERU

JUNE 1949




Fig. 21. CHUNGKING, CHINA

29.4°N, 106.8°E

MAY 1949




Fig. 22. CHUNGKING, CHINA

MAY 1949




Fig. 23. JOHANNESBURG, U. OF S. AFRICA

26.2°S, 28.0°E

MAY 1949




Fig. 24. JOHANNESBURG, U. OF S. AFRICA

MAY 1949




Fig. 25. WATHEROO, W. AUSTRALIA
30.3°S, 115.9°E

MAY 1949




Fig. 26. WATHEROO, W. AUSTRALIA

MAY 1949




Fig. 27. CAPETOWN, U. OF S. AFRICA
34.2°S, 18.3°E

MAY 1949




Fig. 28. CAPETOWN, U. OF S. AFRICA

MAY 1949




Fig. 29. WAKKANAI, JAPAN
45.4°N, 141.7°E

APRIL 1949




Fig. 30. WAKKANAI, JAPAN

APRIL 1949




Fig. 31. FUKAURA, JAPAN
40.6°N, 139.9°E

APRIL 1949








Fig. 32. FUKAURA, JAPAN

APRIL 1949






Fig. 37 TOKYO, JAPAN
35.7°N, 139.5°E

APRIL 1949




Fig. 38. TOKYO, JAPAN

APRIL 1949




Fig. 39. YAMAKAWA, JAPAN
31.2°N, 130.6°E

APRIL 1949




Fig. 40. YAMAKAWA, JAPAN

APRIL 1949




Fig 41. WUCHANG, CHINA
30. 6°N, 114. 4°E

APRIL 1949




Fig 42. WUCHANG, CHINA

APRIL 1949




Fig 43 OKINAWA I.
26. 3°N, 127. 7°E

APRIL 1949




Fig 44. OKINAWA I.

APRIL 1949




Fig. 45. RAROTONGA I.
21.3°S, 159.8°W

APRIL 1949




Fig. 46. RAROTONGA I.

APRIL 1949




Fig. 47. BRISBANE, AUSTRALIA
27.5°S, 153.0°E

APRIL 1949




Fig. 48. BRISBANE, AUSTRALIA

APRIL 1949




Fig. 49. WATHEROO, W. AUSTRALIA
30.3°S, 115.9°E

APRIL 1949




Fig. 50. WATHEROO, W. AUSTRALIA

APRIL 1949




Fig. 51. CANBERRA, AUSTRALIA
35.3°S, 149.0°E

APRIL 1949




Fig. 52. CANBERRA, AUSTRALIA

APRIL 1949




Fig. 53. HOBART, TASMANIA
42.8°S, 147.4°E

APRIL 1949




Fig. 54. HOBART, TASMANIA

APRIL 1949




Fig. 55. CHRISTCHURCH, N.Z.
43.5°S, 172.7°E

APRIL 1949












Fig. 56. CHRISTCHURCH, N.Z.

APRIL 1949








Fig. 65. YAMAKAWA, JAPAN
31°2'N, 130.6°E

MARCH 1949




Fig. 66. YAMAKAWA, JAPAN

MARCH 1949




Fig. 67. CHUNGKING, CHINA
29.4°N, 106.8°E

MARCH 1949




Fig. 68. CHUNGKING, CHINA

MARCH 1949




Fig. 69. DELHI, INDIA
28.6°N, 77.1°E

MARCH 1949




Fig. 70. DELHI, INDIA

MARCH 1949




Fig. 71. BOMBAY, INDIA
19.0°N, 73.0°E

MARCH 1949




Fig. 72. BOMBAY, INDIA

MARCH 1949




Fig. 73. MADRAS, INDIA
13.0°N, 80.2°E

MARCH 1949




Fig. 74. MADRAS, INDIA

MARCH 1949




Fig. 75. TIRUCHIRAPALLI, INDIA
10.8°N, 78.8°E

MARCH 1949




Fig. 76. TIRUCHIRAPALLI, INDIA

MARCH 1949




Fig. 77. RAROTONGA I.
21.3°S, 159.8°W

MARCH 1949




Fig. 78. RAROTONGA I.

MARCH 1949




Fig. 79. FRASERBURGH, SCOTLAND
57.6°N, 2.1°W

FEBRUARY 1949




Fig. 80. FRASERBURGH, SCOTLAND FEBRUARY 1949




Fig. 81. SLOUGH, ENGLAND
51.5°N, 0.6°W

FEBRUARY 1949




Fig. 82. SLOUGH, ENGLAND

FEBRUARY 1949




Fig. 83. LANCHOW, CHINA
36.1°N, 103.8°E

FEBRUARY 1949












Fig. 84. LANCHOW, CHINA

FEBRUARY 1949





Index of Tables and Graphs of Ionospheric Datain CRPL-F60

	<u>Table page</u>	<u>Figure page</u>
Baton Rouge, Louisiana		
June 1949	11	45
Bombay, India		
March 1949	19	61
Boston, Massachusetts		
June 1949	10	43
Erisbane, Australia		
April 1949	16	55
Calcutta, India		
February 1949	20	65
January 1949	21	66
Canberra, Australia		
April 1949	16	56
Capetown, Union of S. Africa		
May 1949	13	50
Christchurch, New Zealand		
April 1949	17	57
Chungking, China		
May 1949	12	49
March 1949	18	60
Delhi, India		
March 1949	18	61
Falkland Is.		
January 1949	21	66
Fraserburgh, Scotland		
February 1949	20	63
Fukaura, Japan		
April 1949	14	51
March 1949	17	58
Hobart, Tasmania		
April 1949	16	57
Huancayo, Peru		
June 1949	12	48
Johannesburg, Union of S. Africa		
May 1949	13	49
Lanchow, China		
April 1949	14	52
February 1949	20	64
Madras, India		
March 1949	19	62
Maui, Hawaii		
June 1949 (recorded by old equipment) . . .	11	46
June 1949 (recorded by new equipment) . . .	11	46
Okinawa I.		
April 1949	15	54

Index (CRPL-F60, continued)

	<u>Table page</u>	<u>Figure page</u>
Palmyra I.		
June 1949	12	48
Rarotonga I.		
April 1949	15	55
March 1949	19	63
San Francisco, California		
June 1949	10	44
San Juan, Puerto Rico		
June 1949	11	47
Shibata, Japan		
April 1949	14	52
March 1949	17	59
Singapore, British Malaya		
February 1949	21	65
Slough, England		
February 1949	20	64
Tiruchirapalli, India		
March 1949	19	62
Tokyo, Japan		
April 1949	14	53
March 1949	18	59
Trinidad, British West Indies		
June 1949	12	47
Wakkanai, Japan		
April 1949	13	51
March 1949	17	58
Washington, D. C.		
July 1949	10	43
Watheroo, W. Australia		
May 1949	13	50
April 1949	16	56
White Sands, New Mexico		
June 1949	10	44
Wuchang, China		
April 1949	15	54
Yamakawa, Japan		
April 1949	15	53
March 1949	18	60

